

FLOOD INSURANCE STUDY

FEDERAL EMERGENCY MANAGEMENT AGENCY

VOLUME 1



GRANT COUNTY, ARKANSAS AND INCORPORATED AREAS

COMMUNITY NAME	COMMUNITY NUMBER
GRANT COUNTY UNINCORPORATED AREAS	050434
TOWN OF LEOLA	050261
TOWN OF POYEN	050278
TOWN OF PRATTSVILLE	050279
CITY OF SHERIDAN	050367
TOWN OF TULL	050297



FEMA

PRELIMINARY
9/24/2015

EFFECTIVE:

TBD

FLOOD INSURANCE STUDY NUMBER
05053CV000A

Version Number 2.3.3.2

TABLE OF CONTENTS

Volume 1

	<u>Page</u>
SECTION 1.0 – INTRODUCTION	1
1.1 The National Flood Insurance Program	1
1.2 Purpose of this Flood Insurance Study Report	2
1.3 Jurisdictions Included in the Flood Insurance Study Project	2
1.4 Considerations for using this Flood Insurance Study Report	4
SECTION 2.0 – FLOODPLAIN MANAGEMENT APPLICATIONS	14
2.1 Floodplain Boundaries	14
2.2 Floodways	14
2.3 Base Flood Elevations	18
2.4 Non-Encroachment Zones	18
2.5 Coastal Flood Hazard Areas	18
2.5.1 Water Elevations and the Effects of Waves	18
2.5.2 Floodplain Boundaries and BFEs for Coastal Areas	18
2.5.3 Coastal High Hazard Areas	19
2.5.4 Limit of Moderate Wave Action	19
SECTION 3.0 – INSURANCE APPLICATIONS	19
3.1 National Flood Insurance Program Insurance Zones	19
3.2 Coastal Barrier Resources System	19
SECTION 4.0 – AREA STUDIED	20
4.1 Basin Description	20
4.2 Principal Flood Problems	20
4.3 Non-Levee Flood Protection Measures	20
4.4 Levees	20
SECTION 5.0 – ENGINEERING METHODS	21
5.1 Hydrologic Analyses	22
5.2 Hydraulic Analyses	28
5.3 Coastal Analyses	30
5.3.1 Total Stillwater Elevations	30
5.3.2 Waves	30
5.3.3 Coastal Erosion	30
5.3.4 Wave Hazard Analyses	30
5.4 Alluvial Fan Analyses	31
SECTION 6.0 – MAPPING METHODS	31
6.1 Vertical and Horizontal Control	31
6.2 Base Map	32
6.3 Floodplain and Floodway Delineation	33
6.4 Coastal Flood Hazard Mapping	34
6.5 FIRM Revisions	34

6.5.1	Letters of Map Amendment	34
6.5.2	Letters of Map Revision Based on Fill	35
6.5.4	Letters of Map Revision	35
6.5.3	Physical Map Revisions	35
6.5.4	Contracted Restudies	36
6.5.5	Community Map History	36
SECTION 7.0 – CONTRACTED STUDIES AND COMMUNITY COORDINATION		37
7.1	Contracted Studies	37
7.2	Community Meetings	38
SECTION 8.0 – ADDITIONAL INFORMATION		40
SECTION 9.0 – BIBLIOGRAPHY AND REFERENCES		41

Figures

	<u>Page</u>
Figure 1: FIRM Panel Index	6
Figure 2: FIRM Notes to Users	7
Figure 3: Map Legend for FIRM	10
Figure 4: Floodway Schematic	15
Figure 5: Wave Runup Transect Schematic	18
Figure 6: Coastal Transect Schematic	19
Figure 7: Frequency Discharge-Drainage Area Curves	27
Figure 8: 1% Annual Chance Total Stillwater Elevations for Coastal Areas	30
Figure 9: Transect Location Map	31

Tables

	<u>Page</u>
Table 1: Listing of NFIP Jurisdictions	2
Table 2: Flooding Sources Included in this FIS Report	17
Table 3: Flood Zone Designations by Community	19
Table 4: Coastal Barrier Resources System Information	19
Table 5: Basin Characteristics	20
Table 6: Principal Flood Problems	20
Table 7: Historic Flooding Elevations	20
Table 8: Non-Levee Flood Protection Measures	20
Table 9: Levees	21
Table 10: Summary of Discharges	23
Table 11: Summary of Non-Coastal Stillwater Elevations	27
Table 12: Stream Gage Information used to Determine Discharges	27
Table 13: Summary of Hydrologic and Hydraulic Analyses	29
Table 14: Roughness Coefficients	30
Table 15: Summary of Coastal Analyses	30

Table 16: Tide Gage Analysis Specifics	30
Table 17: Coastal Transect Parameters	30
Table 18: Summary of Alluvial Fan Analyses	31
Table 19: Results of Alluvial Fan Analyses	31
Table 20: Countywide Vertical Datum Conversion	32
Table 21: Stream-Based Vertical Datum Conversion	32
Table 22: Base Map Sources	32
Table 23: Summary of Topographic Elevation Data used in Mapping	33
Table 24: Floodway Data	34
Table 25: Flood Hazard and Non-Encroachment Data for Selected Streams	34
Table 26: Summary of Coastal Transect Mapping Considerations	34
Table 27: Incorporated Letters of Map Change	35
Table 28: Community Map History	37
Table 29: Summary of Contracted Studies Included in this FIS Report	37
Table 30: Community Meetings	39
Table 31: Map Repositories	40
Table 32: Additional Information	41
Table 33: Bibliography and References	42

Volume 1
Exhibits

Flood Profiles	<u>Panel</u>
Big Creek Tributary 2	01 P
Big Creek Tributary 2_1	02 P
Town Branch	03-06 P
Town Branch Tributary	07 P
West Fork Big Creek Tributary	08 P

Published Separately

Flood Insurance Rate Map (FIRM)

FLOOD INSURANCE STUDY REPORT GRANT COUNTY, ARKANSAS

SECTION 1.0 – INTRODUCTION

1.1 The National Flood Insurance Program

The National Flood Insurance Program (NFIP) is a voluntary Federal program that enables property owners in participating communities to purchase insurance protection against losses from flooding. This insurance is designed to provide an insurance alternative to disaster assistance to meet the escalating costs of repairing damage to buildings and their contents caused by floods.

For decades, the national response to flood disasters was generally limited to constructing flood-control works such as dams, levees, sea-walls, and the like, and providing disaster relief to flood victims. This approach did not reduce losses nor did it discourage unwise development. In some instances, it may have actually encouraged additional development. To compound the problem, the public generally could not buy flood coverage from insurance companies, and building techniques to reduce flood damage were often overlooked.

In the face of mounting flood losses and escalating costs of disaster relief to the general taxpayers, the U.S. Congress created the NFIP. The intent was to reduce future flood damage through community floodplain management ordinances, and provide protection for property owners against potential losses through an insurance mechanism that requires a premium to be paid for the protection.

The U.S. Congress established the NFIP on August 1, 1968, with the passage of the National Flood Insurance Act of 1968. The NFIP was broadened and modified with the passage of the Flood Disaster Protection Act of 1973 and other legislative measures. It was further modified by the National Flood Insurance Reform Act of 1994 and the Flood Insurance Reform Act of 2004. The NFIP is administered by the Federal Emergency Management Agency (FEMA), which is a component of the Department of Homeland Security (DHS).

Participation in the NFIP is based on an agreement between local communities and the Federal Government. If a community adopts and enforces floodplain management regulations to reduce future flood risks to new construction and substantially improved structures in Special Flood Hazard Areas (SFHAs), the Federal Government will make flood insurance available within the community as a financial protection against flood losses. The community's floodplain management regulations must meet or exceed criteria established in accordance with Title 44 Code of Federal Regulations (CFR) Part 60.3, *Criteria for land Management and Use*.

SFHAs are delineated on the community's Flood Insurance Rate Maps (FIRMs). Under the NFIP, buildings that were built before the flood hazard was identified on the community's FIRMs are generally referred to as "Pre-FIRM" buildings. When the NFIP was created, the U.S. Congress recognized that insurance for Pre-FIRM buildings would be prohibitively expensive if the premiums were not subsidized by the Federal Government. Congress also recognized that most of these floodprone buildings were built by individuals who did not have sufficient knowledge of the flood hazard to make informed decisions. The NFIP requires that full actuarial rates reflecting the complete flood risk be charged on all buildings constructed or substantially improved on or after

the effective date of the initial FIRM for the community or after December 31, 1974, whichever is later. These buildings are generally referred to as “Post-FIRM” buildings.

1.2 Purpose of this Flood Insurance Study Report

This Flood Insurance Study (FIS) report **updates** information on the existence and severity of flood hazards for the study area. The studies described in this report developed flood hazard data that will be used to establish actuarial flood insurance rates and to assist communities in efforts to implement sound floodplain management.

In some states or communities, floodplain management criteria or regulations may exist that are more restrictive than the minimum Federal requirements. Contact your State NFIP Coordinator to ensure that any higher State standards are included in the community’s regulations.

1.3 Jurisdictions Included in the Flood Insurance Study Project

This FIS Report covers the entire geographic area of **Grant County, Arkansas**.

The jurisdictions that are included in this project area, along with the Community Identification Number (CID) for each community and the 8-digit Hydrologic Unit Codes (HUC-8) sub-basins affecting each, are shown in Table 1. The Flood Insurance Rate Map (FIRM) panel numbers that affect each community are listed. If the flood hazard data for the community is not included in this FIS Report, the location of that data is identified.

The location of flood hazard data for participating communities in multiple jurisdictions is also indicated in the table.

Jurisdictions that have no identified SFHAs as of the effective date of this study are indicated in the table. Changed conditions in these communities (such as urbanization or annexation) or the availability of new scientific or technical data about flood hazards could make it necessary to determine SFHAs in these jurisdictions in the future.

Table 1: Listing of NFIP Jurisdictions

Community	CID	HUC-8 Sub-Basin(s)	Located on FIRM Panel(s)	If Not Included, Location of Flood Hazard Data
Grant County, Unincorporated Areas	050434	08040203, 11110207	05053C0025C 05053C0030C 05053C0035C 05053C0040C 05053C0045C 05053C0075C 05053C0100C 05053C0125C 05053C0135C	

Community	CID	HUC-8 Sub-Basin(s)	Located on FIRM Panel(s)	If Not Included, Location of Flood Hazard Data
Grant County, Unincorporated Areas	050434	08040203, 11110207	05053C0150C 05053C0160C 05053C0170C 05053C0175C 05053C0177C 05053C0179C 05053C0180C 05053C0183C 05053C0184C 05053C0185C 05053C0187C 05053C0189C 05053C0190C 05053C0191C 05053C0192C 05053C0193C 05053C0194C 05053C0225C 05053C0250C 05053C0275C 05053C0290C 05053C0300C 05053C0325C 05053C0350C 05053C0375C 05053C0400C 05053C0425C 05053C0450C	
Town of Leola	050261	08040203	05053C0290C	
Town of Poyen	050278	08040203	05053C0135C	
Town of Prattsville	050279	08040203	05053C0160C 05053C0170C	
City of Sheridan	050367	08040203	05053C0177C 05053C0179C 05053C0183C 05053C0184C 05053C0187C 05053C0189C 05053C0191C 05053C0192C 05053C0193C	

Community	CID	HUC-8 Sub-Basin(s)	Located on FIRM Panel(s)	If Not Included, Location of Flood Hazard Data
Town of Tull	050297	08040203	05053C0030C 05053C0035C 05053C0040C 05053C0045C	

1.4 Considerations for using this Flood Insurance Study Report

The NFIP encourages State and local governments to implement sound floodplain management programs. To assist in this endeavor, each FIS Report provides floodplain data, which may include a combination of the following: 10-, 4-, 2-, 1-, and 0.2-percent annual chance flood elevations (the 1% annual chance flood elevation is also referred to as the Base Flood Elevation (BFE)); delineations of the 1% annual chance and 0.2% annual chance floodplains; and 1% annual chance floodway. This information is presented on the FIRM and/or in many components of the FIS Report, including Flood Profiles, Floodway Data tables, Summary of Non-Coastal Stillwater Elevations tables, and Coastal Transect Parameters tables (not all components may be provided for a specific FIS).

This section presents important considerations for using the information contained in this FIS Report and the FIRM, including changes in format and content. Figures 1, 2, and 3 present information that applies to using the FIRM with the FIS Report.

- Part or all of this FIS Report may be revised and republished at any time. In addition, part of this FIS Report may be revised by a Letter of Map Revision (LOMR), which does not involve republication or redistribution of the FIS Report. Refer to Section 6.5 of this FIS Report for information about the process to revise the FIS Report and/or FIRM.

It is, therefore, the responsibility of the user to consult with community officials by contacting the community repository to obtain the most current FIS Report components. Communities participating in the NFIP have established repositories of flood hazard data for floodplain management and flood insurance purposes. Community map repository addresses are provided in Table 31, “Map Repositories,” within this FIS Report.

- New FIS Reports are frequently developed for multiple communities, such as entire counties. A countywide FIS Report incorporates previous FIS Reports for individual communities and the unincorporated area of the county (if not jurisdictional) into a single document and supersedes those documents for the purposes of the NFIP.

The initial Countywide FIS Report for Grant County became effective on **TBD**. Refer to Table 28 for information about subsequent revisions to the FIRMs.

- Selected FIRM panels for the community may contain information (such as floodways and cross sections) that was previously shown separately on the corresponding Flood Boundary and Floodway Map panels. In addition, former flood hazard zone designations have been changed as follows:

<u>Old Zone</u>	<u>New Zone</u>
A1 through A30	AE
V1 through V30	VE
B	X (shaded)
C	X (unshaded)



- FEMA does not impose floodplain management requirements or special insurance ratings based on Limit of Moderate Wave Action (LiMWA) delineations at this time. The LiMWA represents the approximate landward limit of the 1.5-foot breaking wave. If the LiMWA is shown on the FIRM, it is being provided by FEMA as information only. For communities that do adopt Zone VE building standards in the area defined by the LiMWA, additional Community Rating System (CRS) credits are available. Refer to Section 2.5.4 for additional information about the LiMWA.

The CRS is a voluntary incentive program that recognizes and encourages community floodplain management activities that exceed the minimum NFIP requirements. Visit the FEMA Web site at <http://www.fema.gov> or contact your appropriate FEMA Regional Office for more information about this program.

- Previous FIS Reports and FIRMs may have included levees that were accredited as reducing the risk associated with the 1% annual chance flood based on the information available and the mapping standards of the NFIP at that time. For FEMA to continue to accredit the identified levees, the levees must meet the criteria of the Code of Federal Regulations, Title 44, Section 65.10 (44 CFR 65.10), titled “Mapping of Areas Protected by Levee Systems.”

Since the status of levees is subject to change at any time, the user should contact the appropriate agency for the latest information regarding levees presented in Table 9 of this FIS Report. For levees owned or operated by the U.S. Army Corps of Engineers (USACE), information may be obtained from the USACE national levee database. For all other levees, the user is encouraged to contact the appropriate local community.

- FEMA has developed a *Guide to Flood Maps* (FEMA 258) and online tutorials to assist users in accessing the information contained on the FIRM. These include how to read panels and step-by-step instructions to obtain specific information. To obtain this guide and other assistance in using the FIRM, visit the FEMA Web site at <http://www.fema.gov>.



Map Projection:
Lambert Conformal Conic
North American Datum 1983

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

[HTTP://MSC.FEMA.GOV](http://MSC.FEMA.GOV)

SEE FLOOD INSURANCE STUDY FOR ADDITIONAL INFORMATION

COUNTY LOCATOR



NATIONAL FLOOD INSURANCE PROGRAM
FLOOD INSURANCE RATE MAP INDEX

GRANT COUNTY, ARKANSAS And Incorporated Areas
PANELS PRINTED:
0025, 0030, 0035, 0040, 0045, 0075, 0100, 0125, 0135, 0150, 0160, 0170, 0175, 0177, 0179, 0180, 0183, 0184, 0185, 0187, 0189, 0190, 0191, 0192, 0193, 0194, 0225, 0250, 0275, 0290, 0300, 0325, 0350, 0375, 0400, 0425, 0450



FEMA

PRELIMINARY
9/24/2015

MAP NUMBER
05053CINDOA
MAP EFFECTIVE

*PANEL NOT PRINTED

Figure 2: FIRM Notes to Users

NOTES TO USERS

For information and questions about this map, available products associated with this FIRM including historic versions of this FIRM, how to order products, or the National Flood Insurance Program in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Map Service Center website at <http://msc.fema.gov>. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website. Users may determine the current map date for each FIRM panel by visiting the FEMA Map Service Center website or by calling the FEMA Map Information eXchange.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM Index. These may be ordered directly from the Map Service Center at the number listed above.

For community and countywide map dates, refer to Table 28 in this FIS Report.

To determine if flood insurance is available in the community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

PRELIMINARY FIS REPORT: FEMA maintains information about map features, such as street locations and names, in or near designated flood hazard areas. Requests to revise information in or near designated flood hazard areas may be provided to FEMA during the community review period, at the final Consultation Coordination Officer's meeting, or during the statutory 90-day appeal period. Approved requests for changes will be shown on the final printed FIRM.

The map is for use in administering the NFIP. It may not identify all areas subject to flooding, particularly from local drainage sources of small size. Consult the community map repository to find updated or additional flood hazard information.

BASE FLOOD ELEVATIONS: For more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables within this FIS Report. Use the flood elevation data within the FIS Report in conjunction with the FIRM for construction and/or floodplain management.

FLOODWAY INFORMATION: Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the FIS Report for this jurisdiction.

FLOOD CONTROL STRUCTURE INFORMATION: Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 4.3 "Non-Levee Flood Protection Measures" of this FIS Report for information on flood control structures for this jurisdiction.

Figure 2. FIRM Notes to Users

PROJECTION INFORMATION: The projection used in the preparation of the map was State Plane Arkansas South FIPS 0302 Feet. The horizontal datum was NAD83, GRS1980 spheroid. Differences in datum, spheroid, projection or State Plane zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of the FIRM.

ELEVATION DATUM: Flood elevations on the FIRM are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov/> or contact the National Geodetic Survey at the following address:

*NGS Information Services
NOAA, N/NGS12
National Geodetic Survey
SSMC-3, #9202
1315 East-West Highway
Silver Spring, Maryland 20910-3282
(301) 713-3242*

Local vertical monuments may have been used to create the map. To obtain current monument information, please contact the appropriate local community listed in Table 31 of this FIS Report.

BASE MAP INFORMATION: Base map information shown on the FIRM was provided in digital format by USDA Aerial Photography Field Office, National Agricultural Inventory Project (NAIP) dated 2013, produced at a scale of 1:12,000. For information about base maps, refer to Section 6.2 "Base Map" in this FIS Report.

The map reflects more detailed and up-to-date stream channel configurations than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables may reflect stream channel distances that differ from what is shown on the map.

Corporate limits shown on the map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after the map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Figure 2. FIRM Notes to Users


NOTES FOR FIRM INDEX

REVISIONS TO INDEX: As new studies are performed and FIRM panels are updated within Grant County, AR, corresponding revisions to the FIRM Index will be incorporated within the FIS Report to reflect the effective dates of those panels. Please refer to Table 28 of this FIS Report to determine the most recent FIRM revision date for each community. The most recent FIRM panel effective date will correspond to the most recent index date.

FLOOD RISK REPORT: A Flood Risk Report (FRR) may be available for many of the flooding sources and communities referenced in this FIS Report. The FRR is provided to increase public awareness of flood risk by helping communities identify the areas within their jurisdictions that have the greatest risks. Although non-regulatory, the information provided within the FRR can assist communities in assessing and evaluating mitigation opportunities to reduce these risks. It can also be used by communities developing or updating flood risk mitigation plans. These plans allow communities to identify and evaluate opportunities to reduce potential loss of life and property. However, the FRR is not intended to be the final authoritative source of all flood risk data for a project area; rather, it should be used with other data sources to paint a comprehensive picture of flood risk.

Figure 3: Map Legend for FIRM

SPECIAL FLOOD HAZARD AREAS: *The 1% annual chance flood, also known as the base flood or 100-year flood, has a 1% chance of happening or being exceeded each year. Special Flood Hazard Areas are subject to flooding by the 1% annual chance flood. The Base Flood Elevation is the water surface elevation of the 1% annual chance flood. The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights. See note for specific types. If the floodway is too narrow to be shown, a note is shown.*



Special Flood Hazard Areas subject to inundation by the 1% annual chance flood (Zones A, AE, AH, AO, AR, A99, V and VE)

- Zone A The flood insurance rate zone that corresponds to the 1% annual chance floodplains. No base (1% annual chance) flood elevations (BFEs) or depths are shown within this zone.
- Zone AE The flood insurance rate zone that corresponds to the 1% annual chance floodplains. Base flood elevations derived from the hydraulic analyses are shown within this zone, either at cross section locations or as static whole-foot elevations that apply throughout the zone.
- Zone AH The flood insurance rate zone that corresponds to the areas of 1% annual chance shallow flooding (usually areas of ponding) where average depths are between 1 and 3 feet. Whole-foot BFEs derived from the hydraulic analyses are shown at selected intervals within this zone.
- Zone AO The flood insurance rate zone that corresponds to the areas of 1% annual chance shallow flooding (usually sheet flow on sloping terrain) where average depths are between 1 and 3 feet. Average whole-foot depths derived from the hydraulic analyses are shown within this zone.
- Zone AR The flood insurance rate zone that corresponds to areas that were formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- Zone A99 The flood insurance rate zone that corresponds to areas of the 1% annual chance floodplain that will be protected by a Federal flood protection system where construction has reached specified statutory milestones. No base flood elevations or flood depths are shown within this zone.
- Zone V The flood insurance rate zone that corresponds to the 1% annual chance coastal floodplains that have additional hazards associated with storm waves. Base flood elevations are not shown within this zone.
- Zone VE Zone VE is the flood insurance rate zone that corresponds to the 1% annual chance coastal floodplains that have additional hazards associated with storm waves. Base flood elevations derived from the coastal analyses are shown within this zone as static whole-foot elevations that apply throughout the zone.



Regulatory Floodway determined in Zone AE.

Figure 3: Map Legend for FIRM


	Non-encroachment zone (see Section 2.4 of this FIS Report for more information)
OTHER AREAS OF FLOOD HAZARD	
	Shaded Zone X: Areas of 0.2% annual chance flood hazards and areas of 1% annual chance flood hazards with average depths of less than 1 foot or with drainage areas less than 1 square mile.
	Area with Reduced Flood Risk due to Levee: Areas where an accredited levee, dike, or other flood control structure has reduced the flood risk from the 1% annual chance flood. See Notes to Users for important information.
OTHER AREAS	
	Zone D (Areas of Undetermined Flood Hazard): The flood insurance rate zone that corresponds to unstudied areas where flood hazards are undetermined, but possible.
	Unshaded Zone X: Areas of minimal flood hazard.
FLOOD HAZARD AND OTHER BOUNDARY LINES	
	Flood Zone Boundary (white line on ortho-photography-based mapping; gray line on vector-based mapping)
	Limit of Study
	Jurisdiction Boundary
	Limit of Moderate Wave Action (LiMWA): Indicates the inland limit of the area affected by waves greater than 1.5 feet
GENERAL STRUCTURES	
 <i>Aqueduct Channel Culvert Storm Sewer</i>	Channel, Culvert, Aqueduct, or Storm Sewer
 <i>Dam Jetty Weir</i>	Dam, Jetty, Weir
	Levee, Dike or Floodwall not accredited to reduce the flood risk from the 1% annual chance flood.
 <i>Bridge</i>	Bridge

Figure 3: Map Legend for FIRM




REFERENCE MARKERS	
	River mile Markers
CROSS SECTION & TRANSECT INFORMATION	
	Lettered Cross Section with Regulatory Water Surface Elevation (BFE)
	Numbered Cross Section with Regulatory Water Surface Elevation (BFE)
	Unlettered Cross Section with Regulatory Water Surface Elevation (BFE)
	Coastal Transect
	Profile Baseline: Indicates the modeled flow path of a stream and is shown on FIRM panels for all valid studies with profiles or otherwise established base flood elevation.
	Coastal Transect Baseline: Used in the coastal flood hazard model to represent the 0.0-foot elevation contour and the starting point for the transect and the measuring point for the coastal mapping.
	Base Flood Elevation Line (shown for flooding sources for which no cross sections or profile are available)
ZONE AE (EL 16)	Static Base Flood Elevation value (shown under zone label)
ZONE AO (DEPTH 2)	Zone designation with Depth
ZONE AO (DEPTH 2) (VEL 15 FPS)	Zone designation with Depth and Velocity
BASE MAP FEATURES	
	River, Stream or Other Hydrographic Feature
	Interstate Highway
	U.S. Highway
	State Highway
	County Highway
	Street, Road, Avenue Name, or Private Drive if shown on Flood Profile
	Railroad

Figure 3: Map Legend for FIRM

	Horizontal Reference Grid Line
	Horizontal Reference Grid Ticks
	Secondary Grid Crosshairs
Land Grant	Name of Land Grant
7	Section Number
R. 43 W. T. 22 N.	Range, Township Number
4276^{000m}E	Horizontal Reference Grid Coordinates (UTM)
365000 FT	Horizontal Reference Grid Coordinates (State Plane)
80° 16' 52.5"	Corner Coordinates (Latitude, Longitude)

SECTION 2.0 – FLOODPLAIN MANAGEMENT APPLICATIONS

2.1 Floodplain Boundaries

To provide a national standard without regional discrimination, the 1% annual chance (100-year) flood has been adopted by FEMA as the base flood for floodplain management purposes. The 0.2% annual chance (500-year) flood is employed to indicate additional areas of flood hazard in the community.

Each flooding source included in the project scope has been studied and mapped using professional engineering and mapping methodologies that were agreed upon by FEMA and Grant County as appropriate to the risk level. Flood risk is evaluated based on factors such as known flood hazards and projected impact on the built environment. Engineering analyses were performed for each studied flooding source to calculate its 1% annual chance flood elevations; elevations corresponding to other floods (e.g. 10-, 4-, 2-, 0.2-percent annual chance, etc.) may have also been computed for certain flooding sources. Engineering models and methods are described in detail in Section 5.0 of this FIS Report. The modeled elevations at cross sections were used to delineate the floodplain boundaries on the FIRM; between cross sections, the boundaries were interpolated using elevation data from various sources. More information on specific mapping methods is provided in Section 6.0 of this FIS Report.

Depending on the accuracy of available topographic data (Table 23), study methodologies employed (Section 5.0), and flood risk, certain flooding sources may be mapped to show both the 1% and 0.2% annual chance floodplain boundaries, regulatory water surface elevations (BFEs), and/or a regulatory floodway. Similarly, other flooding sources may be mapped to show only the 1% annual chance floodplain boundary on the FIRM, without published water surface elevations. In cases where the 1% and 0.2% annual chance floodplain boundaries are close together, only the 1% annual chance floodplain boundary is shown on the FIRM. Figure 3, “Map Legend for FIRM”, describes the flood zones that are used on the FIRMs to account for the varying levels of flood risk that exist along flooding sources within the project area. Table 2 and Table 3 indicate the flood zone designations for each flooding source and each community within Grant County, AR, respectively.

Table 2, “Flooding Sources Included in this FIS Report,” lists each flooding source, including its study limits, affected communities, mapped zone on the FIRM, and the completion date of its engineering analysis from which the flood elevations on the FIRM and in the FIS Report were derived. Descriptions and dates for the latest hydrologic and hydraulic analyses of the flooding sources are shown in Table 13. Floodplain boundaries for these flooding sources are shown on the FIRM (published separately) using the symbology described in Figure 3. On the map, the 1% annual chance floodplain corresponds to the SFHAs. The 0.2% annual chance floodplain shows areas that, although out of the regulatory floodplain, are still subject to flood hazards.

Small areas within the floodplain boundaries may lie above the flood elevations but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data. The procedures to remove these areas from the SFHA are described in Section 6.5 of this FIS Report.

2.2 Floodways


Encroachment on floodplains, such as structures and fill, reduces flood-carrying capacity, increases flood heights and velocities, and increases flood hazards in areas beyond the

encroachment itself. One aspect of floodplain management involves balancing the economic gain from floodplain development against the resulting increase in flood hazard.

For purposes of the NFIP, a floodway is used as a tool to assist local communities in balancing floodplain development against increasing flood hazard. With this approach, the area of the 1% annual chance floodplain on a river is divided into a floodway and a floodway fringe based on hydraulic modeling. The floodway is the channel of a stream, plus any adjacent floodplain areas, that must be kept free of encroachment in order to carry the 1% annual chance flood. The floodway fringe is the area between the floodway and the 1% annual chance floodplain boundaries where encroachment is permitted. The floodway must be wide enough so that the floodway fringe could be completely obstructed without increasing the water surface elevation of the 1% annual chance flood more than 1 foot at any point. Typical relationships between the floodway and the floodway fringe and their significance to floodplain development are shown in Figure 4.

To participate in the NFIP, Federal regulations require communities to limit increases caused by encroachment to 1.0 foot, provided that hazardous velocities are not produced. The floodways in this project are presented to local agencies as minimum standards that can be adopted directly or that can be used as a basis for additional floodway projects.

Figure 4: Floodway Schematic



Floodway widths presented in this FIS Report and on the FIRM were computed at cross sections. Between cross sections, the floodway boundaries were interpolated. For certain stream segments, floodways were adjusted so that the amount of floodwaters conveyed on each side of the

floodplain would be reduced equally. The results of the floodway computations have been tabulated for selected cross sections and are shown in Table 24, "Floodway Data."

Table 2: Flooding Sources Included in this FIS Report

Flooding Source	Community	Downstream Limit	Upstream Limit	HUC-8 Sub-Basin(s)	Length (mi) (streams or coastlines)	Area (mi ²) (estuaries or ponding)	Floodway (Y/N)	Zone shown on FIRM	Date of Analysis
Big Creek Tributary 2	City of Sheridan	Confluence with Big Creek East	Approximately 140 feet downstream of North Marion Street	08040203	1.0	*	N	AE	July 2014
Big Creek Tributary 2_1	City of Sheridan	Confluence with Big Creek East Tributary 2	North Main Street	08040203	0.3	*	N	AE	July 2014
Town Branch	Grant County, City of Sheridan	Confluence with Big Creek East	Approximately 500 feet upstream of South Briarwood Drive	08040203	3.5	*	N	AE	July 2014
Town Branch Tributary	Grant County, City of Sheridan	Confluence with Town Branch	Approximately 200 feet upstream of South Oakwood Drive	08040203	0.9	*	N	AE	July 2014
West Fork Big Creek Tributary	Grant County, City of Sheridan,	Confluence with Big East Creek	Approximately 450 feet upstream of Summit Street	08040203	0.8	*	N	AE	July 2014
Countywide Zone A	Grant County, City of Sheridan	Includes previously designated Zone A floodplains and contributing areas greater than 1 square mile.		08040203, 11110207	1047	*	N	A	July 2014

All floodways that were developed for this Flood Risk Project are shown on the FIRM using the symbology described in Figure 3. In cases where the floodway and 1% annual chance floodplain boundaries are either close together or collinear, only the floodway boundary has been shown on the FIRM. For information about the delineation of floodways on the FIRM, refer to Section 6.3.

2.3 Base Flood Elevations

The hydraulic characteristics of flooding sources were analyzed to provide estimates of the elevations of floods of the selected recurrence intervals. The Base Flood Elevation (BFE) is the elevation of the 1% annual chance flood. These BFEs are most commonly rounded to the whole foot, as shown on the FIRM, but in certain circumstances or locations they may be rounded to 0.1 foot. Cross section lines shown on the FIRM may also be labeled with the BFE rounded to 0.1 foot. Whole-foot BFEs derived from engineering analyses that apply to coastal areas, areas of ponding, or other static areas with little elevation change may also be shown at selected intervals on the FIRM.

Cross sections with BFEs shown on the FIRM correspond to the cross sections shown in the Floodway Data table and Flood Profiles in this FIS Report. BFEs are primarily intended for flood insurance rating purposes. For construction and/or floodplain management purposes, users are cautioned to use the flood elevation data presented in this FIS Report in conjunction with the data shown on the FIRM.

2.4 Non-Encroachment Zones

Some States and communities use non-encroachment zones to manage floodplain development. While not a FEMA designated floodway, the non-encroachment zone represents that area around the stream that should be reserved to convey the 1% annual chance flood event.

Non-encroachment determinations may be delineated where it is not possible to delineate floodways because specific channel profiles with bridge and culvert geometry were not developed. Any non-encroachment determinations for this Flood Risk Project have been tabulated for selected cross sections and are shown in Table 25, “Flood Hazard and Non-Encroachment Data for Selected Streams.”

2.5 Coastal Flood Hazard Areas

This section is not applicable to this Flood Risk Project.

2.5.1 Water Elevations and the Effects of Waves

This section is not applicable to this Flood Risk Project.

Figure 5: Wave Runup Transect Schematic
[Not applicable to this Flood Risk Report]

2.5.2 Floodplain Boundaries and BFEs for Coastal Areas

This section is not applicable to this Flood Risk Project.

2.5.3 Coastal High Hazard Areas

This section is not applicable to this Flood Risk Project.

Figure 6: Coastal Transect Schematic
[Not applicable to this Flood Risk Report]

2.5.4 Limit of Moderate Wave Action

This section is not applicable to this Flood Risk Report.

SECTION 3.0 – INSURANCE APPLICATIONS

3.1 National Flood Insurance Program Insurance Zones

For flood insurance applications, the FIRM designates flood insurance rate zones as described in Figure 3, “Map Legend for FIRM.” Flood insurance zone designations are assigned to flooding sources based on the results of the hydraulic or coastal analyses. Insurance agents use the zones shown on the FIRM and depths and base flood elevations in this FIS Report in conjunction with information on structures and their contents to assign premium rates for flood insurance policies.

The 1% annual chance floodplain boundary corresponds to the boundary of the areas of special flood hazards (e.g. Zones A, AE, V, VE, etc.), and the 0.2% annual chance floodplain boundary corresponds to the boundary of areas of additional flood hazards.

Table 3 lists the flood insurance zones in the unincorporated and incorporated areas of **Grant County**.

Table 3: Flood Zone Designations by Community

Community	Flood Zone(s)
Grant County, Unincorporated Areas	A, AE, X
Town of Leoloa	A, X
Town of Poyen	A, X
Town of Prattsville	A, X
City of Sheridan	A, AE, X
Town of Tull	A, X

3.2 Coastal Barrier Resources System

This section is not applicable to this Flood Risk Project.

Table 4: Coastal Barrier Resources System Information
[Not applicable to this Flood Risk Project]

SECTION 4.0 – AREA STUDIED

4.1 Basin Description

Table 5 contains a description of the characteristics of the HUC-8 sub-basins within which each community falls. The table includes the main flooding sources within each basin, a brief description of the basin, and its drainage area.

Table 5: Basin Characteristics

HUC-8 Sub-Basin Name	HUC-8 Sub-Basin Number	Primary Flooding Source	Description of Affected Area	Drainage Area (acres)
Upper Saline	08040203	Saline River	Extends northwest affecting most of Grant County	1097848
Lower Arkansas-Maumelle	11110207	Arkansas River	Affects only the northeastern edge of Grant County	721165

4.2 Principal Flood Problems

Table 6 contains a description of the principal flood problems that have been noted for Grant County by flooding source.

Table 6: Principal Flood Problems

[Not applicable to this flood risk project]

Table 7 contains information about historic flood elevations in the communities within Grant County.

Table 7: Historic Flooding Elevations

[Not applicable to this flood risk project]

4.3 Non-Levee Flood Protection Measures

Table 8 contains information about non-levee flood protection measures within Grant County such as dams, jetties, and or dikes. Levees are addressed in Section 4.4 of this FIS Report.

Table 8: Non-Levee Flood Protection Measures

[Not applicable to this flood risk project]

4.4 Levees

For purposes of the NFIP, FEMA only recognizes levee systems that meet, and continue to meet, minimum design, operation, and maintenance standards that are consistent with comprehensive

floodplain management criteria. The Code of Federal Regulations, Title 44, Section 65.10 (44 CFR 65.10) describes the information needed for FEMA to determine if a levee system reduces the risk from the 1% annual chance flood. This information must be supplied to FEMA by the community or other party when a flood risk study or restudy is conducted, when FIRMs are revised, or upon FEMA request. FEMA reviews the information for the purpose of establishing the appropriate FIRM flood zone.

Levee systems that are determined to reduce the risk from the 1% annual chance flood are accredited by FEMA. FEMA can also grant provisional accreditation to a levee system that was previously accredited on an effective FIRM and for which FEMA is awaiting data and/or documentation to demonstrate compliance with Section 65.10. These levee systems are referred to as Provisionally Accredited Levees, or PALs. Provisional accreditation provides communities and levee owners with a specified timeframe to obtain the necessary data to confirm the levee's certification status. Accredited levee systems and PALs are shown on the FIRM using the symbology shown in Figure 3 and in Table 9. If the required information for a PAL is not submitted within the required timeframe, or if information indicates that a levee system no longer meets Section 65.10, FEMA will de-accredit the levee system and issue an effective FIRM showing the levee-impacted area as a SFHA.

FEMA coordinates its programs with USACE, who may inspect, maintain, and repair levee systems. The USACE has authority under Public Law 84-99 to supplement local efforts to repair flood control projects that are damaged by floods. Like FEMA, the USACE provides a program to allow public sponsors or operators to address levee system maintenance deficiencies. Failure to do so within the required timeframe results in the levee system being placed in an inactive status in the USACE Rehabilitation and Inspection Program. Levee systems in an inactive status are ineligible for rehabilitation assistance under Public Law 84-99.

FEMA coordinated with the USACE, the local communities, and other organizations to compile a list of levees that exist within Grant County. Table 9, "Levees," lists all accredited levees, PALs, and de-accredited levees shown on the FIRM for this FIS Report. Other categories of levees may also be included in the table. The Levee ID shown in this table may not match numbers based on other identification systems that were listed in previous FIS Reports. Levees identified as PALs in the table are labeled on the FIRM to indicate their provisional status.

Please note that the information presented in Table 9 is subject to change at any time. For that reason, the latest information regarding any USACE structure presented in the table should be obtained by contacting USACE and accessing the USACE national levee database. For levees owned and/or operated by someone other than the USACE, contact the local community shown in Table 31.

Table 9: Levees

[Not applicable to this flood risk project]

SECTION 5.0 – ENGINEERING METHODS

For the flooding sources in the community, standard hydrologic and hydraulic study methods were used to determine the flood hazard data required for this study. Flood events of a magnitude

that are expected to be equaled or exceeded at least once on the average during any 10-, 25-, 50-, 100-, or 500-year period (recurrence interval) have been selected as having special significance for floodplain management and for flood insurance rates. These events, commonly termed the 10-, 25-, 50-, 100-, and 500-year floods, have a 10-, 4-, 2-, 1-, and 0.2% annual chance, respectively, of being equaled or exceeded during any year.

Although the recurrence interval represents the long-term, average period between floods of a specific magnitude, rare floods could occur at short intervals or even within the same year. The risk of experiencing a rare flood increases when periods greater than 1 year are considered. For example, the risk of having a flood that equals or exceeds the 100-year flood (1-percent chance of annual exceedance) during the term of a 30-year mortgage is approximately 26 percent (about 3 in 10); for any 90-year period, the risk increases to approximately 60 percent (6 in 10). The analyses reported herein reflect flooding potentials based on conditions existing in the community at the time of completion of this study. Maps and flood elevations will be amended periodically to reflect future changes.

In addition to these flood events, the “1-percent-plus”, or “1%+”, annual chance flood elevation has been modeled and included on the flood profile for certain flooding sources in this FIS Report. While not used for regulatory or insurance purposes, this flood event has been calculated to help illustrate the variability range that exists between the regulatory 1% annual chance flood elevation and a 1% annual chance elevation that has taken into account an additional amount of uncertainty in the flood discharges (thus, the 1% “plus”). For flooding sources whose discharges were estimated using regression equations, the 1%+ flood elevations are derived by taking the 1% annual chance flood discharges and increasing the modeled discharges by a percentage equal to the average predictive error for the regression equation. For flooding sources with gage- or rainfall-runoff-based discharge estimates, the upper 84-percent confidence limit of the discharges is used to compute the 1%+ flood elevations.

The engineering analyses described here incorporate the results of previously issued Letters of Map Change (LOMCs) listed in Table 27, “Incorporated Letters of Map Change”, which include Letters of Map Revision (LOMRs). For more information about LOMRs, refer to Section 6.5, “FIRM Revisions.”

5.1 Hydrologic Analyses

Hydrologic analyses were carried out to establish the peak elevation-frequency relationships for floods of the selected recurrence intervals for each flooding source studied. Hydrologic analyses are typically performed at the watershed level. Depending on factors such as watershed size and shape, land use and urbanization, and natural or man-made storage, various models or methodologies may be applied. A summary of the hydrologic methods applied to develop the discharges used in the hydraulic analyses for each stream is provided in Table 13. Greater detail (including assumptions, analysis, and results) is available in the archived project documentation.

A summary of the discharges is provided in Table 10. Frequency Discharge-Drainage Area Curves used to develop the hydrologic models may also be shown in Figure 7 for selected flooding sources. A summary of stillwater elevations developed for non-coastal flooding sources is provided in Table 11. (Coastal stillwater elevations are discussed in Section 5.3 and shown in Table 11.) Stream gage information is provided in Table 12.

Table 10: Summary of Discharges

Flooding Source	Location	Drainage Area (Square Miles)	Peak Discharge (cfs)					
			10% Annual Chance	4% Annual Chance	2% Annual Chance	1% Annual Chance Existing	1% Annual Chance Future	0.2% Annual Chance
Big Creek Tributary 2	Big Creek Tributary 2 at station 5090.958 from downstream confluence	0.086	60	90	110	130	180	190
Big Creek Tributary 2	Big Creek Tributary 2 at station 4200 from downstream confluence	0.180	110	160	200	240	340	350
Big Creek Tributary 2	Big Creek Tributary 2 at station 4200 from downstream confluence	0.180	110	160	200	240	340	350
Big Creek Tributary 2	Big Creek Tributary 2 at station 3300 from downstream confluence	0.255	130	190	240	290	410	420
Big Creek Tributary 2	Big Creek Tributary 2 at station 3000 from downstream confluence	0.272	140	200	240	300	410	430
Big Creek Tributary 2	Big Creek Tributary 2 at station 2700 from downstream confluence	0.301	140	210	260	310	440	460
Big Creek Tributary 2	Big Creek Tributary 2 at station 1800 from downstream confluence	0.429	190	270	330	400	560	580

Flooding Source	Location	Drainage Area (Square Miles)	Peak Discharge (cfs)					
			10% Annual Chance	4% Annual Chance	2% Annual Chance	1% Annual Chance Existing	1% Annual Chance Future	0.2% Annual Chance
Big Creek Tributary 2_1	Big Creek Tributary 2_1 at station 1374 from downstream confluence	0.049	40	50	70	80	120	120
Big Creek Tributary 2_1	Big Creek Tributary 2_1 at station 969 from downstream confluence	0.084	70	100	120	150	210	220
Big Creek Tributary 2_1	Big Creek Tributary 2_1 at station 300 from downstream confluence	0.103	70	100	120	150	210	220
Town Branch	Town Branch at station 18220.88 from downstream confluence	0.094	80	120	150	190	260	270
Town Branch	Town Branch at station 17700 from downstream confluence	0.162	130	190	240	290	410	430
Town Branch	Town Branch at station 17400 from downstream confluence	0.194	150	210	270	330	460	480
Town Branch	Town Branch at station 17100 from downstream confluence	0.218	150	220	280	340	480	510
Town Branch	Town Branch at station 15300 from downstream confluence	0.529	290	430	530	650	910	950

Flooding Source	Location	Drainage Area (Square Miles)	Peak Discharge (cfs)					
			10% Annual Chance	4% Annual Chance	2% Annual Chance	1% Annual Chance Existing	1% Annual Chance Future	0.2% Annual Chance
Town Branch	Town Branch at station 12600 from downstream confluence	0.993	420	600	750	910	1,270	1,320
Town Branch	Town Branch at station 12300 from downstream confluence	1.098	450	650	820	980	1,380	1,430
Town Branch	Town Branch at station 10800 from downstream confluence	1.358	490	710	880	1,060	1,490	1,540
Town Branch	Town Branch at station 10200 from downstream confluence	1.467	510	730	910	1,090	1,530	1,580
Town Branch	Town Branch at station 7800 from downstream confluence	1.885	570	810	1,010	1,210	1,700	1,740
Town Branch	Town Branch at station 6000 from downstream confluence	2.147	590	830	1,030	1,230	1,730	1,770
Town Branch	Town Branch at station 5700 from downstream confluence	2.333	620	880	1,080	1,300	1,820	1,860
Town Branch	Town Branch at station 300 from downstream confluence	14.883	4,110	6,050	7,610	9,270	12,980	13,630
Town Branch Tributary	Town Branch Tributary at station 4860.939 from downstream confluence	0.050	40	60	80	100	130	140

Flooding Source	Location	Drainage Area (Square Miles)	Peak Discharge (cfs)					
			10% Annual Chance	4% Annual Chance	2% Annual Chance	1% Annual Chance Existing	1% Annual Chance Future	0.2% Annual Chance
Town Branch Tributary	Town Branch Tributary at station 4800 from downstream confluence	0.054	50	70	80	100	140	150
Town Branch Tributary	Town Branch Tributary at station 4500 from downstream confluence	0.099	80	120	150	180	250	270
Town Branch Tributary	Town Branch Tributary at station 4200 from downstream confluence	0.120	90	140	170	210	290	310
Town Branch Tributary	Town Branch Tributary at station 3000 from downstream confluence	0.197	120	170	220	260	370	380
Town Branch Tributary	Town Branch Tributary at station 2100 from downstream confluence	0.253	130	190	240	290	410	420
West Fork Big Creek Tributary	West Fork Big Creek Tributary at station 4412.578 from downstream confluence	0.027	20	40	50	50	80	80
West Fork Big Creek Tributary	West Fork Big Creek Tributary at station 4200 from downstream confluence	0.043	40	60	80	90	130	140

Flooding Source	Location	Drainage Area (Square Miles)	Peak Discharge (cfs)					
			10% Annual Chance	4% Annual Chance	2% Annual Chance	1% Annual Chance Existing	1% Annual Chance Future	0.2% Annual Chance
West Fork Big Creek Tributary	West Fork Big Creek Tributary at station 3900 from downstream confluence	0.082	80	120	150	190	260	280
West Fork Big Creek Tributary	West Fork Big Creek Tributary at station 3000 from downstream confluence	0.135	100	150	190	230	330	340
West Fork Big Creek Tributary	West Fork Big Creek Tributary at station 2100 from downstream confluence	0.195	130	180	230	280	390	410

Figure 7: Frequency Discharge-Drainage Area Curves

[Not applicable to this flood risk project]

Table 11: Summary of Non-Coastal Stillwater Elevations

[Not applicable to this flood risk project]

Table 12: Stream Gage Information used to Determine Discharges

Flooding Source	Gage Identifier	Agency that Maintains Gage	Site Name	Drainage Area (Square Miles)	Period of Record	
					From	To
Saline River	07363000	USGS	Saline River at Benton, AR	550	1995	2014

Flooding Source	Gage Identifier	Agency that Maintains Gage	Site Name	Drainage Area (Square Miles)	Period of Record	
					From	To
Saline River	07363200	USGS	Saline River near Sheridan, AR	1120	1971	2014
Saline River	07363500	USGS	Saline River near Rye, AR	2100	1938	2013
Hurricane Creek	07363300	USGS	Hurricane CR near Sheridan, AR	204	1962	1995

5.2 Hydraulic Analyses

Analyses of the hydraulic characteristics of flooding from the sources studied were carried out to provide estimates of the elevations of floods of the selected recurrence intervals. Base flood elevations on the FIRM represent the elevations shown on the Flood Profiles and in the Floodway Data tables in the FIS Report. Rounded whole-foot elevations may be shown on the FIRM in coastal areas, areas of ponding, and other areas with static base flood elevations. These whole-foot elevations may not exactly reflect the elevations derived from the hydraulic analyses. Flood elevations shown on the FIRM are primarily intended for flood insurance rating purposes. For construction and/or floodplain management purposes, users are cautioned to use the flood elevation data presented in this FIS Report in conjunction with the data shown on the FIRM. The hydraulic analyses for this FIS were based on unobstructed flow. The flood elevations shown on the profiles are thus considered valid only if hydraulic structures remain unobstructed, operate properly, and do not fail.

For streams for which hydraulic analyses were based on cross sections, locations of selected cross sections are shown on the Flood Profiles (Exhibit 1). For stream segments for which a floodway was computed (Section 6.3), selected cross sections are also listed on Table 24, "Floodway Data."

A summary of the methods used in hydraulic analyses performed for this project is provided in Table 13. Roughness coefficients are provided in Table 14. Roughness coefficients are values representing the frictional resistance water experiences when passing overland or through a channel. They are used in the calculations to determine water surface elevations. Greater detail (including assumptions, analysis, and results) is available in the archived project documentation.

Table 13: Summary of Hydrologic and Hydraulic Analyses

Flooding Source	Study Limits		Hydrologic Model or Method Used	Hydraulic Model or Method Used	Date Analyses Completed	Flood Zone on FIRM	Special Considerations
	Downstream Limit	Upstream Limit					
Big Creek Tributary 2	Confluence with Big Creek East	Approximately 140 feet downstream of N Marion Street	USGS Regression Equations	Steady-State HEC-RAS 4.1	Draft	AE	
Big Creek Tributary 2_1	Confluence with Big Creek East Tributary 2	N Main Street	USGS Regression Equations	Steady-State HEC-RAS 4.1	Draft	AE	
Town Branch	Confluence with Big Creek East	Approximately 500 feet upstream of S Briarwood Drive	USGS Regression Equations	Steady-State HEC-RAS 4.1	Draft	AE	
Town Branch Tributary	Confluence with Town Branch	Approximately 200 feet upstream of S Oakwood Drive	USGS Regression Equations	Steady-State HEC-RAS 4.1	Draft	AE	
West Fork Big Creek Tributary	Confluence with Big Creek East	Approximately 450 feet upstream of Summit Street	USGS Regression Equations	Steady-State HEC-RAS 4.1	Draft	AE	
Hurricane Creek	Confluence with Saline River	County Boundary	Statistical Gage Analysis	Steady-State HEC-RAS 4.1	Draft	A	
Saline River	County Boundary	County Boundary	Statistical Gage Analysis	Steady-State HEC-RAS 4.1	Draft	A	
Approximate Zone A Streams	Downstream confluence with main stream	Extent of previous effective or 1 sq mile	USGS Regression Equations	Steady-State HEC-RAS 4.1	Draft	A	

Table 14: Roughness Coefficients

Flooding Source	Channel “n”	Overbank “n”
Big Creek Tributary 2	0.045	0.045 – 0.100
Big Creek Tributary 2_1	0.045	0.050 – 0.100
Town Branch	0.045	0.030 – 0.100
Town Branch Tributary	0.045	0.050 – 0.100
West Fork Big Creek Tributary	0.040 to 0.045	0.040 – 0.100
Approximate Zone A Streams	0.045	0.070 – 0.100

5.3 Coastal Analyses

This section is not applicable to this flood risk project.

Table 15: Summary of Coastal Analyses

[Not applicable to this flood risk project]

5.3.1 Total Stillwater Elevations

This section is not applicable to this flood risk project.

Figure 8: 1% Annual Chance Total Stillwater Elevations for Coastal Areas

[Not applicable to this flood risk project]

Table 16: Tide Gage Analysis Specifics

[Not applicable to this flood risk project]

5.3.2 Waves

This section is not applicable to this flood risk project.

5.3.3 Coastal Erosion

This section is not applicable to this flood risk project.

5.3.4 Wave Hazard Analyses

This section is not applicable to this flood risk project.

Table 17: Coastal Transect Parameters

[Not applicable to this flood risk project]

Figure 9: Transect Location Map
[Not applicable to this flood risk project]

5.4 Alluvial Fan Analyses

This section is not applicable to this flood risk project.

Table 18: Summary of Alluvial Fan Analyses
[Not applicable to this flood risk project]

Table 19: Results of Alluvial Fan Analyses
[Not applicable to this flood risk project]

SECTION 6.0 – MAPPING METHODS

6.1 Vertical and Horizontal Control

All FIS Reports and FIRMs are referenced to a specific vertical datum. The vertical datum provides a starting point against which flood, ground, and structure elevations can be referenced and compared. Until recently, the standard vertical datum used for newly created or revised FIS Reports and FIRMs was the National Geodetic Vertical Datum of 1929 (NGVD29). With the completion of the North American Vertical Datum of 1988 (NAVD88), many FIS Reports and FIRMs are now prepared using NAVD88 as the referenced vertical datum.

Flood elevations shown in this FIS Report and on the FIRMs are referenced to **NAVD88**. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between NGVD29 and NAVD88 or other datum conversion, visit the National Geodetic Survey website at www.ngs.noaa.gov, or contact the National Geodetic Survey at the following address:

NGS Information Services
NOAA, N/NGS12
National Geodetic Survey
SSMC-3, #9202
1315 East-West Highway
Silver Spring, Maryland 20910-3282
(301) 713-3242

Temporary vertical monuments are often established during the preparation of a flood hazard analysis for the purpose of establishing local vertical control. Although these monuments are not shown on the FIRM, they may be found in the archived project documentation associated with the FIS Report and the FIRMs for this community. Interested individuals may contact FEMA to access these data.

The datum conversion locations and values that were calculated for **Grant County** are provided in Table 20.

Table 20: Countywide Vertical Datum Conversion

Quadrangle Name	Quadrangle Corner	Latitude	Longitude	Conversion from NGVD29 to NAVD88 (feet)
Redfield	SE	34.375	-92.125	-0.27
Kedron	SE	34.000	-92.125	-0.24
Pine Bluff NW	SE	34.125	-92.125	-0.24
Hardin	SE	34.250	-92.125	-0.24
Staves	SE	34.000	-92.250	-0.21
Grapevine	SE	34.125	-92.250	-0.21
Spring Lake	SE	34.500	-92.250	-0.20
Prague	SE	34.250	-92.250	-0.19
Cane Creek	SE	34.375	-92.250	-0.19
Millerville	SE	34.125	-92.375	-0.18
Sheridan	SE	34.250	-92.375	-0.18
Bunn	SE	34.000	-92.375	-0.17
Belfast	SE	34.375	-92.375	-0.17
Bryant	SE	34.500	-92.375	-0.16
Woodson	SE	34.500	-92.125	-0.15
Carthage	SE	34.000	-92.500	-0.14
Leola	SE	34.125	-92.500	-0.14
Prattsville	SE	34.250	-92.500	-0.14
Tull	SE	34.375	-92.500	-0.12
Tulip	SE	34.000	-92.625	-0.10
Poyen	SE	34.250	-92.625	-0.09
Willow	SE	34.125	-92.625	-0.08
Traskwood	SE	34.375	-92.625	-0.08
Average Conversion from NGVD29 to NAVD88 = -0.17 feet				

Table 21: Stream-Based Vertical Datum Conversion

[Not applicable to this flood risk project]

6.2 Base Map

The FIRMs and FIS Report for this project have been produced in a digital format. The flood hazard information was converted to a Geographic Information System (GIS) format that meets FEMA's FIRM database specifications and geographic information standards. This information is provided in a digital format so that it can be incorporated into a local GIS and be accessed more easily by the community. The FIRM Database includes most of the tabular information contained in the FIS Report in such a way that the data can be associated with pertinent spatial features. For example, the information contained in the Floodway Data table and Flood Profiles can be linked to the cross sections that are shown on the FIRMs. Additional information about the FIRM Database and its contents can be found in FEMA's *Guidelines and Standards for Mapping Partners*, Appendix L.

Base map information shown on the FIRM was derived from the sources described in Table 22.

Table 22: Base Map Sources

Data Type	Data Provider	Data Date	Data Scale	Data Description
Digital Orthophoto	USDA-FSA	2013	1:12,000	NAIP Imagery
Political boundaries	AGIO	2013	1:5,000	Municipal and county boundaries
Transportation Features	AGIO	2006	1:10,000	Roads and railroads
Surface Water Features	AGIO	2004	1:5,000	Streams, rivers, and lakes were derived from NHD data
Public Land Survey System (PLSS)	AGIO	2014	1:24,000	PLSS Township, Range, and Area information

6.3 Floodplain and Floodway Delineation

The FIRM shows tints, screens, and symbols to indicate floodplains and floodways as well as the locations of selected cross sections used in the hydraulic analyses and floodway computations.

For riverine flooding sources, the mapped floodplain boundaries shown on the FIRM have been delineated using the flood elevations determined at each cross section; between cross sections, the boundaries were interpolated using the topographic elevation data described in Table 23.

In cases where the 1% and 0.2% annual chance floodplain boundaries are close together, only the 1% annual chance floodplain boundary has been shown. Small areas within the floodplain boundaries may lie above the flood elevations but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data.

The floodway widths presented in this FIS Report and on the FIRM were computed for certain stream segments on the basis of equal conveyance reduction from each side of the floodplain. Floodway widths were computed at cross sections. Between cross sections, the floodway boundaries were interpolated. Table 2 indicates the flooding sources for which floodways have been determined. The results of the floodway computations for those flooding sources have been

tabulated for selected cross sections and are shown in Table 24, “Floodway Data.”

Certain flooding sources may have been studied that do not have published BFEs on the FIRMs, or for which there is a need to report the 1% annual chance flood elevations at selected cross sections because a published Flood Profile does not exist in this FIS Report. These streams may have also been studied using methods to determine non-encroachment zones rather than floodways. For these flooding sources, the 1% annual chance floodplain boundaries have been delineated using the flood elevations determined at each cross section; between cross sections, the boundaries were interpolated using the topographic elevation data described in Table 23. All topographic data used for modeling or mapping has been converted as necessary to NAVD 88. The 1% annual chance elevations for selected cross sections along these flooding sources, along with their non-encroachment widths, if calculated, are shown in Table 25, “Flood Hazard and Non-Encroachment Data for Selected Streams.”

Table 23: Summary of Topographic Elevation Data used in Mapping

Community	Flooding Source	Source for Topographic Elevation Data			
		Description	Scale	Contour Interval	Citation
Grant County	Big Creek Tributaries, Town Branch Tributaries, and West Fork Big Creek Tributaries	LiDAR	1:500	2ft	FEMA 2010

BFEs shown at cross sections on the FIRM represent the 1% annual chance water surface elevations shown on the Flood Profiles and in the Floodway Data tables in the FIS Report.

Table 24: Floodway Data

[Not applicable to this flood risk project]

Non-encroachment areas may be delineated where it is not possible to delineate floodways because specific channel profiles with bridge and culvert geometry were not developed. Any non-encroachment determinations for this Flood Risk Project have been tabulated for selected cross sections and are shown in Table 25. The non-encroachment width indicates the measured distance left and right (looking downstream) from the mapped center of the stream to the non-encroachment boundary based on a surcharge of 1.0 foot or less.

Table 25: Flood Hazard and Non-Encroachment Data for Selected Streams

[Not applicable to this flood risk project]

6.4 Coastal Flood Hazard Mapping

This section is not applicable to this flood risk project.

Table 26: Summary of Coastal Transect Mapping Considerations

[Not applicable to this flood risk project]

6.5 FIRM Revisions

This FIS Report and the FIRM are based on the most up-to-date information available to FEMA at the time of its publication; however, flood hazard conditions change over time. Communities or private parties may request flood map revisions at any time. Certain types of requests require submission of supporting data. FEMA may also initiate a revision. Revisions may take several forms, including Letters of Map Amendment (LOMAs), Letters of Map Revision Based on Fill (LOMR-Fs), Letters of Map Revision (LOMRs) (referred to collectively as Letters of Map Change (LOMCs)), Physical Map Revisions (PMRs), and FEMA-contracted restudies. These types of revisions are further described below. Some of these types of revisions do not result in the republishing of the FIS Report. To assure that any user is aware of all revisions, it is advisable to contact the community repository of flood-hazard data (shown in Table 31, “Map Repositories”).

6.5.1 Letters of Map Amendment

A LOMA is an official revision by letter to an effective NFIP map. A LOMA results from an administrative process that involves the review of scientific or technical data submitted by the owner or lessee of property who believes the property has incorrectly been included in a designated SFHA. A LOMA amends the currently effective FEMA map and establishes that a specific property is not located in a SFHA. A LOMA cannot be issued for properties located on the PFD (primary frontal dune).

To obtain an application for a LOMA, visit <http://www.fema.gov> and download the form “MT-1 Application Forms and Instructions for Conditional and Final Letters of Map Amendment and Letters of Map Revision Based on Fill”. Visit the “Flood Map-Related Fees” section to determine the cost, if any, of applying for a LOMA.

FEMA offers a tutorial on how to apply for a LOMA. The LOMA Tutorial Series can be accessed at http://www.fema.gov/plan/prevent/fhm/ot_lmreq.shtm.

For more information about how to apply for a LOMA, call the FEMA Map Information eXchange; toll free, at 1-877-FEMA MAP (1-877-336-2627).

6.5.2 Letters of Map Revision Based on Fill

A LOMR-F is an official revision by letter to an effective NFIP map. A LOMR-F states FEMA’s determination concerning whether a structure or parcel has been elevated on fill above the base flood elevation and is, therefore, excluded from the SFHA.

Information about obtaining an application for a LOMR-F can be obtained in the same manner as that for a LOMA, by visiting <http://www.fema.gov> for the “MT-1 Application Forms and Instructions for Conditional and Final Letters of Map Amendment and Letters of Map Revision Based on Fill” or by calling the FEMA Map Information eXchange, toll free, at 1-877-FEMA MAP (1-877-336-2627). Fees for applying for a LOMR-F, if any, are listed in the “Flood Map-Related Fees” section.

A tutorial for LOMR-F is available at http://www.fema.gov/plan/prevent/fhm/ot_lmreq.shtm.

6.5.3 Letters of Map Revision

A LOMR is an official revision to the currently effective FEMA map. It is used to change flood zones, floodplain and floodway delineations, flood elevations and planimetric features. All requests for LOMRs should be made to FEMA through the chief executive officer of the community, since it is the community that must adopt any changes and revisions to the map. If the request for a LOMR is not submitted through the chief executive officer of the community, evidence must be submitted that the community has been notified of the request.

To obtain an application for a LOMR, visit <http://www.fema.gov> and download the form “MT-2 Application Forms and Instructions for Conditional Letters of Map Revision and Letters of Map Revision”. Visit the “Flood Map-Related Fees” section to determine the cost of applying for a LOMR. For more information about how to apply for a LOMR, call the FEMA Map Information eXchange; toll free, at 1-877-FEMA MAP (1-877-336-2627) to speak to a Map Specialist.

Previously issued mappable LOMCs (including LOMRs) that have been incorporated into the Grant County FIRM are listed in Table 27. Please note that this table only includes LOMCs that have been issued on the FIRM panels updated by this map revision. For all other areas within this county, users should be aware that revisions to the FIS Report made by prior LOMRs may not be reflected herein and users will need to continue to use the previously issued LOMRs to obtain the most current data.

Table 27: Incorporated Letters of Map Change

[Not applicable to this flood risk project]

6.5.4 Physical Map Revisions

PMRs are an official republication of a community’s NFIP map to effect changes to base flood elevations, floodplain boundary delineations, regulatory floodways and planimetric features. These changes typically occur as a result of structural works or improvements, annexations resulting in additional flood hazard areas or correction to base flood elevations or SFHAs.

The community’s chief executive officer must submit scientific and technical data to FEMA to support the request for a PMR. The data will be analyzed and the map will be revised if warranted. The community is provided with copies of the revised information and is afforded a review period. When the base flood elevations are changed, a 90-day appeal period is provided. A 6-month adoption period for formal approval of the revised map(s) is also provided.

For more information about the PMR process, please visit <http://www.fema.gov> and visit the “Flood Map Revision Processes” section.

6.5.5 Contracted Restudies

The NFIP provides for a periodic review and restudy of flood hazards within a given community. FEMA accomplishes this through a national watershed-based mapping needs assessment strategy, known as the Coordinated Needs Management Strategy (CNMS). The CNMS is used by FEMA to assign priorities and allocate funding for new flood hazard analyses used to update the FIS Report and FIRM. The goal of CNMS is to define the validity of the engineering study data within a mapped inventory. The CNMS is used to track the assessment process, document engineering gaps and their resolution, and aid in prioritization for using flood risk as a key factor for areas identified for flood map updates. Visit www.fema.gov to learn more about the CNMS or contact the FEMA Regional Office listed in Section 8 of this FIS Report.

6.5.6 Community Map History

The current FIRM presents flooding information for the entire geographic area of Grant County. Previously, separate FIRMs, Flood Hazard Boundary Maps (FHBM) and/or Flood Boundary and Floodway Maps (FBFM) may have been prepared for the incorporated communities and the unincorporated areas in the county that had identified SFHAs. Current and historical data relating to the maps prepared for the project area are presented in Table 28, “Community Map History.” A description of each of the column headings and the source of the date is also listed below.

- *Community Name* includes communities falling within the geographic area shown on the FIRM, including those that fall on the boundary line, nonparticipating communities, and communities with maps that have been rescinded. Communities with No Special Flood Hazards are indicated by a footnote. If all maps (FHBM, FBFM, and FIRM) were rescinded for a community, it is not listed in this table unless SFHAs have been identified in this community.
- *Initial Identification Date (First NFIP Map Published)* is the date of the first NFIP map that identified flood hazards in the community. If the FHBM has been converted to a FIRM, the initial FHBM date is shown. If the community has never been mapped, the upcoming effective date or “pending” (for Preliminary FIS Reports) is shown. If the community is listed in Table 28 but not identified on the map, the community is treated as if it were unmapped.
- *Initial FHBM Effective Date* is the effective date of the first Flood Hazard Boundary Map (FHBM). This date may be the same date as the Initial NFIP Map Date.
- *FHBM Revision Date(s)* is the date(s) that the FHBM was revised, if applicable.
- *Initial FIRM Effective Date* is the date of the first effective FIRM for the community. This is the first effective date that is shown on the FIRM panel.
- *FIRM Revision Date(s)* is the date(s) the FIRM was revised, if applicable. This is the revised date that is shown on the FIRM panel, if applicable. As countywide studies are completed or revised, each community listed should have its FIRM dates updated accordingly to reflect the date of the countywide study. Once the FIRMs exist in countywide format, as Physical Map Revisions (PMR) of FIRM panels within the county are completed, the FIRM Revision Dates in the table for each community affected by the PMR are updated with the date of the PMR, even if the PMR did not revise all the panels within that community.

The initial effective date for the Grant County FIRMs in countywide format was **TBD**.

Table 28: Community Map History

Community Name	Initial Identification Date (First NFIP Map Published)	Initial FHBM Effective Date	FHBM Revision Date(s)	Initial FIRM Effective Date	FIRM Revision Date(s)
Grant County Unincorporated Areas	05/10/1977	05/10/1977	N/A	02/01/1991	N/A
Town of Leola	02/21/1975	N/A	N/A	N/A	N/A
Town of Poyen	07/11/1975	07/11/1975	N/A	11/23/1982	N/A
Town of Prattsville	04/25/1975	04/25/1975	N/A	11/01/1985	N/A
City of Sheridan	04/25/1975	04/25/1975	N/A	01/18/1983	N/A
Town of Tull	N/A	N/A	N/A	N/A	N/A

SECTION 7.0 – CONTRACTED STUDIES AND COMMUNITY COORDINATION

7.1 Contracted Studies

Table 29 provides a summary of the contracted studies, by flooding source, that are included in this FIS Report.

Table 29: Summary of Contracted Studies Included in this FIS Report

Flooding Source	FIS Report Dated	Contractor	Number	Work Completed Date	Affected Communities
Big Creek Tributary 2	TBD	AMEC		July 2014	City of Sheridan
Big Creek Tributary 2_1	TBD	AMEC		July 2014	City of Sheridan
Town Branch	TBD	AMEC		July 2014	Grant County, City of Sheridan
Town Branch Tributary	TBD	AMEC		July 2014	Grant County, City of Sheridan
West Fork Big Creek Tributary	TBD	AMEC		July 2014	Grant County, City of Sheridan

7.2 Community Meetings

The dates of the community meetings held for this Flood Risk Project and any previous Flood Risk Projects are shown in Table 30. These meetings may have previously been referred to by a variety of names (Community Coordination Officer (CCO), Scoping, Discovery, etc.), but all meetings represent opportunities for FEMA, community officials, study contractors, and other invited guests to discuss the planning for and results of the project.

Table 30: Community Meetings

Community	FIS Report Dated	Date of Meeting	Meeting Type	Attended By
Grant County and Incorporated Areas	NA	4/23/2013 4/24/2013	Project Discovery	FEMA, Village of Hot Springs, City of Benton, City of Bryant, City of Sheridan, FTN Associates, AMEC

SECTION 8.0 – ADDITIONAL INFORMATION

Information concerning the pertinent data used in the preparation of this FIS Report can be obtained by submitting an order with any required payment to the FEMA Engineering Library. For more information on this process, see <http://www.fema.gov>.

The additional data that was used for this project includes the FIS Report and FIRM that were previously prepared for Grant County, (FEMA 2006). In addition, the USACE prepared a Tsunami Prediction Study for Grant County in 1967 in response to the destruction caused by the March 1964 tsunami (USACE 1964).

Table 31 is a list of the locations where FIRMs for **Grant County** can be viewed. Please note that the maps at these locations are for reference only and are not for distribution. Also, please note that only the maps for the community listed in the table are available at that particular repository. A user may need to visit another repository to view maps from an adjacent community.

Table 31: Map Repositories

Community	Address	City	State	Zip Code
Grant County Unincorporated Areas	County Assessor's Office 101 West Center Steet, Room 102	Sheridan	AR	72150
Town of Leola	Town Hall 400 Lee Street	Leola	AR	72084
Town of Poyen	Town Hall 111 North Front Street	Poyen	AR	72128
Town of Prattsville	Mayor's Office 9251 Hwy 270 West	Prattsville	AR	72129
City of Sheridan	City Hall 106 West Bell Street	Sheridan	AR	72150
Town of Tull	Community Center 8208 North Main Street	Tull	AR	72015

The National Flood Hazard Layer (NFHL) dataset is a compilation of effective FIRM databases and LOMCs. Together they create a GIS data layer for a State or Territory. The NFHL is updated as studies become effective and extracts are made available to the public monthly. NFHL data can

be viewed or ordered from the website shown in Table 32.

Table 32 contains useful contact information regarding the FIS Report, the FIRM, and other relevant flood hazard and GIS data. In addition, information about the state NFIP Coordinator and GIS Coordinator is shown in this table. At the request of FEMA, each Governor has designated an agency of State or territorial government to coordinate that State's or territory's NFIP activities. These agencies often assist communities in developing and adopting necessary floodplain management measures. State GIS Coordinators are knowledgeable about the availability and location of state and local GIS data in their state.

Table 32: Additional Information


FEMA and the NFIP	
FEMA and FEMA Engineering Library website	http://www.fema.gov
NFIP website	http://www.fema.gov/business/nfip
NFHL Dataset	http://msc.fema.gov
FEMA Region VI	RAMPP Regional Support Center 6, 723 S. Interstate 35E, Suite 230, Denton, TX 76205 (940) 735-3334
Other Federal Agencies	
USGS website	http://www.usgs.gov
Hydraulic Engineering Center website	http://www.hec.usace.army.mil
State Agencies and Organizations	
State NFIP Coordinator	Michael Borengasser, CFM Arkansas Natural Resources Commission 101 E. Capitol Avenue, Suite 350 Little Rock, AR 72201 (501) 682-3969 michael.borengasser@arkansas.gov
State GIS Coordinator	Shelby Johnson Statewide GIS Coordinator 124 West Capitol Avenus, Suite 990 Little Rock, AR 72201 Phone: 501-682-2767 http://www.gis.arkansas.gov

SECTION 9.0 – BIBLIOGRAPHY AND REFERENCES

Table 33 includes sources used in the preparation of and cited in this FIS Report as well as additional studies that have been conducted in the study area.

Table 33: Bibliography and References


Citation in this FIS	Publisher/ Issuer	<i>Publication Title, "Article," Volume, Number, etc.</i>	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
AGIO 2013	Arkansas Geographic Information Office (AGIO)	<i>Base Map data Aerial Photography</i>	Arkansas Geographic Information Office (AGIO)	Arkansas	2013	
USDA 2013	United States Department of Agriculture - Farm Service Agency (USDA-FSA)	<i>NAIP Imagery Digital Orthophoto</i>	United States Department of Agriculture - Farm Service Agency (USDA-FSA)	Washington, D.C.	2013	
FEMA 2010	Federal Emergency Management Agency (FEMA)	<i>LiDAR</i>	Federal Emergency Management Agency (FEMA)	Washington, D.C.	2010	



FLOOD PROFILES

BIG CREEK TRIBUTARY 2

FEDERAL EMERGENCY MANAGEMENT AGENCY
GRANT COUNTY, AR
 AND INCORPORATED AREAS




FLOOD PROFILES

BIG CREEK TRIBUTARY 2_1

FEDERAL EMERGENCY MANAGEMENT AGENCY

GRANT COUNTY, AR
AND INCORPORATED AREAS




FLOOD PROFILES

TOWN BRANCH

FEDERAL EMERGENCY MANAGEMENT AGENCY

GRANT COUNTY, AR
AND INCORPORATED AREAS




FLOOD PROFILES

TOWN BRANCH

FEDERAL EMERGENCY MANAGEMENT AGENCY

GRANT COUNTY, AR
AND INCORPORATED AREAS




FLOOD PROFILES

TOWN BRANCH

FEDERAL EMERGENCY MANAGEMENT AGENCY

GRANT COUNTY, AR
AND INCORPORATED AREAS




FLOOD PROFILES

TOWN BRANCH

FEDERAL EMERGENCY MANAGEMENT AGENCY

GRANT COUNTY, AR
AND INCORPORATED AREAS




FLOOD PROFILES

TOWN BRANCH TRIBUTARY

FEDERAL EMERGENCY MANAGEMENT AGENCY

GRANT COUNTY, AR
AND INCORPORATED AREAS



FLOOD PROFILES

WEST FORK BIG CREEK TRIBUTARY

FEDERAL EMERGENCY MANAGEMENT AGENCY
GRANT COUNTY, AR
AND INCORPORATED AREAS