


FLOOD INSURANCE STUDY

FEDERAL EMERGENCY MANAGEMENT AGENCY

VOLUME 1 OF 1



DAWSON COUNTY, GEORGIA AND INCORPORATED AREAS

COMMUNITY NAME	NUMBER
DAWSON COUNTY, UNINCORPORATED AREAS	130304
DAWSONVILLE, CITY OF	130064

PRELIMINARY
4/14/2016



FEMA

REVISED:

FLOOD INSURANCE STUDY NUMBER
13085CV000B

Version Number 2.3.3.2

TABLE OF CONTENTS

Volume 1

	Page
SECTION 1.0 – INTRODUCTION	1
1.1 The National Flood Insurance Program	1
1.2 Purpose of this Flood Insurance Study Report	2
1.3 Jurisdictions Included in the Flood Insurance Study Project	2
1.4 Considerations for using this Flood Insurance Study Report	3
SECTION 2.0 – FLOODPLAIN MANAGEMENT APPLICATIONS	13
2.1 Floodplain Boundaries	13
2.2 Floodways	13
2.3 Base Flood Elevations	18
2.4 Non-Encroachment Zones	18
2.5 Coastal Flood Hazard Areas	18
2.5.1 Water Elevations and the Effects of Waves	18
2.5.2 Floodplain Boundaries and BFEs for Coastal Areas	18
2.5.3 Coastal High Hazard Areas	18
2.5.4 Limit of Moderate Wave Action	19
SECTION 3.0 – INSURANCE APPLICATIONS	19
3.1 National Flood Insurance Program Insurance Zones	19
3.2 Coastal Barrier Resources System	19
SECTION 4.0 – AREA STUDIED	19
4.1 Basin Description	19
4.2 Principal Flood Problems	20
4.3 Non-Levee Flood Protection Measures	21
4.4 Levees	21
SECTION 5.0 – ENGINEERING METHODS	21
5.1 Hydrologic Analyses	21
5.2 Hydraulic Analyses	24
5.3 Coastal Analyses	30
5.3.1 Total Stillwater Elevations	30
5.3.2 Waves	30
5.3.3 Coastal Erosion	30
5.3.4 Wave Hazard Analyses	30
5.4 Alluvial Fan Analyses	31
SECTION 6.0 – MAPPING METHODS	31
6.1 Vertical and Horizontal Control	31
6.2 Base Map	32
6.3 Floodplain and Floodway Delineation	33
6.4 Coastal Flood Hazard Mapping	34
6.5 FIRM Revisions	34
6.5.1 Letters of Map Amendment	35
6.5.2 Letters of Map Revision Based on Fill	35
6.5.3 Letters of Map Revision	35

6.5.4 Physical Map Revisions	36
6.5.5 Contracted Restudies	36
6.5.6 Community Map History	36
SECTION 7.0 – CONTRACTED STUDIES AND COMMUNITY COORDINATION	38
7.1 Contracted Studies	38
7.2 Community Meetings	38
SECTION 8.0 – ADDITIONAL INFORMATION	40
SECTION 9.0 – BIBLIOGRAPHY AND REFERENCES	41

Figures

	Page
Figure 1: FIRM Panel Index	5
Figure 2: FIRM Notes to Users	6
Figure 3: Map Legend for FIRM	9
Figure 4: Floodway Schematic	14
Figure 5: Wave Runup Transect Schematic	18
Figure 6: Coastal Transect Schematic	18
Figure 7: Frequency Discharge-Drainage Area Curves	24
Figure 8: 1% Annual Chance Total Stillwater Elevations for Coastal Areas	30
Figure 9: Transect Location Map	31

Tables

	Page
Table 1: Listing of NFIP Jurisdictions	3
Table 2: Flooding Sources Included in this FIS Report	15
Table 3: Flood Zone Designations by Community	19
Table 4: Coastal Barrier Resources System Information	19
Table 5: Basin Characteristics	20
Table 6: Principal Flood Problems	20
Table 7: Historic Flooding Elevations	21
Table 8: Non-Levee Flood Protection Measures	21
Table 9: Levees	21
Table 10: Summary of Discharges	23
Table 11: Summary of Non-Coastal Stillwater Elevations	24
Table 12: Stream Gage Information used to Determine Discharges	24
Table 13: Summary of Hydrologic and Hydraulic Analyses	26
Table 14: Roughness Coefficients	30
Table 15: Summary of Coastal Analyses	30
Table 16: Tide Gage Analysis Specifics	30
Table 17: Coastal Transect Parameters	31
Table 18: Summary of Alluvial Fan Analyses	31
Table 19: Results of Alluvial Fan Analyses	31
Table 20: Countywide Vertical Datum Conversion	32
Table 21: Stream-by-Stream Vertical Datum Conversion	32
Table 22: Base Map Sources	33
Table 23: Summary of Topographic Elevation Data used in Mapping	34
Table 24: Floodway Data	34
Table 25: Flood Hazard and Non-Encroachment Data for Selected Streams	34

Table 26: Summary of Coastal Transect Mapping Considerations	34
Table 27: Incorporated Letters of Map Change	36
Table 28: Community Map History	37
Table 29: Summary of Contracted Studies Included in this FIS Report	38
Table 30: Community Meetings	39
Table 31: Map Repositories	40
Table 32: Additional Information	40
Table 33: Bibliography and References	42

Exhibits

Flood Profiles	<u>Panel</u>
Black Mill Creek	01-04 P
Etowah River	05-09 P
Mill Creek	10 P

Published Separately

Flood Insurance Rate Map (FIRM)

FLOOD INSURANCE STUDY REPORT DAWSON COUNTY, GEORGIA AND INCORPORATED AREAS

SECTION 1.0 – INTRODUCTION

1.1 The National Flood Insurance Program

The National Flood Insurance Program (NFIP) is a voluntary Federal program that enables property owners in participating communities to purchase insurance protection against losses from flooding. This insurance is designed to provide an insurance alternative to disaster assistance to meet the escalating costs of repairing damage to buildings and their contents caused by floods.

For decades, the national response to flood disasters was generally limited to constructing flood-control works such as dams, levees, sea-walls, and the like, and providing disaster relief to flood victims. This approach did not reduce losses nor did it discourage unwise development. In some instances, it may have actually encouraged additional development. To compound the problem, the public generally could not buy flood coverage from insurance companies, and building techniques to reduce flood damage were often overlooked.

In the face of mounting flood losses and escalating costs of disaster relief to the general taxpayers, the U.S. Congress created the NFIP. The intent was to reduce future flood damage through community floodplain management ordinances, and provide protection for property owners against potential losses through an insurance mechanism that requires a premium to be paid for the protection.

The U.S. Congress established the NFIP on August 1, 1968, with the passage of the National Flood Insurance Act of 1968. The NFIP was broadened and modified with the passage of the Flood Disaster Protection Act of 1973 and other legislative measures. It was further modified by the National Flood Insurance Reform Act of 1994 and the Flood Insurance Reform Act of 2004. The NFIP is administered by the Federal Emergency Management Agency (FEMA), which is a component of the Department of Homeland Security (DHS).

Participation in the NFIP is based on an agreement between local communities and the Federal Government. If a community adopts and enforces floodplain management regulations to reduce future flood risks to new construction and substantially improved structures in Special Flood Hazard Areas (SFHAs), the Federal Government will make flood insurance available within the community as a financial protection against flood losses. The community's floodplain management regulations must meet or exceed criteria established in accordance with Title 44 Code of Federal Regulations (CFR) Part 60, *Criteria for Land Management and Use*.

SFHAs are delineated on the community's Flood Insurance Rate Maps (FIRMs). Under the NFIP, buildings that were built before the flood hazard was identified on the community's FIRMs are generally referred to as "Pre-FIRM" buildings. When the NFIP was created, the U.S. Congress recognized that insurance for Pre-FIRM buildings would be prohibitively expensive if the premiums were not subsidized by the Federal Government. Congress also recognized that most of these floodprone buildings were built by individuals who did not have sufficient knowledge of the flood hazard to make informed decisions. The NFIP requires that full actuarial rates reflecting the complete flood risk be charged on all buildings constructed or substantially improved on or after

the effective date of the initial FIRM for the community or after December 31, 1974, whichever is later. These buildings are generally referred to as “Post-FIRM” buildings.

1.2 Purpose of this Flood Insurance Study Report

This Flood Insurance Study (FIS) report revises and updates information on the existence and severity of flood hazards for the study area. The studies described in this report developed flood hazard data that will be used to establish actuarial flood insurance rates and to assist communities in efforts to implement sound floodplain management.

In some states or communities, floodplain management criteria or regulations may exist that are more restrictive than the minimum Federal requirements. Contact your State NFIP Coordinator to ensure that any higher State standards are included in the community’s regulations.

1.3 Jurisdictions Included in the Flood Insurance Study Project

This FIS Report covers the entire geographic area of Dawson County, Georgia and Incorporated Areas.

The jurisdictions that are included in this project area, along with the Community Identification Number (CID) for each community and the 8-digit Hydrologic Unit Codes (HUC-8) sub-basins affecting each, are shown in Table 1. The Flood Insurance Rate Map (FIRM) panel numbers that affect each community are listed. If the flood hazard data for the community is not included in this FIS Report, the location of that data is identified.

Table 1: Listing of NFIP Jurisdictions

Community	CID	HUC-8 Sub-Basin(s)	Located on FIRM Panel(s)	If Not Included, Location of Flood Hazard Data
Dawsonville, City of	130064	03150104	13085C0092C, 13085C0094C, 13085C0095C, 13085C0100C, 13085C0103C, 13085C0104C ¹ , 13085C0108C, 13085C0111C, 13085C0113C	
Dawson County Unincorporated Areas	130304	03150104, 03130001, 03150102	13085C0025C, 13085C0050C, 13085C0075C, 13085C0092C, 13085C0094C, 13085C0095C, 13085C0100C, 13085C0103C, 13085C0104C ¹ , 13085C0105C, 13085C0108C, 13085C0110C ¹ , 13085C0111C, 13085C0112C, 13085C0113C, 13085C0114C, 13085C0116C, 13085C0117C, 13085C0118C, 13085C0119C, 13085C0150C, 13085C0175C, 13085C0200C, 13085C0201C, 13085C0202C, 13085C0203C ¹ , 13085C0204C, 13085C0225C, 13085C0250C	

¹ No Special Flood Hazard Areas Identified

1.4 Considerations for using this Flood Insurance Study Report

The NFIP encourages State and local governments to implement sound floodplain management programs. To assist in this endeavor, each FIS Report provides floodplain data, which may include a combination of the following: 10-, 4-, 2-, 1-, and 0.2-percent annual chance flood elevations (the 1% annual chance flood elevation is also referred to as the Base Flood Elevation (BFE)); delineations of the 1% annual chance and 0.2% annual chance floodplains; and 1% annual chance floodway. This information is presented on the FIRM and/or in many components of the FIS Report, including Flood Profiles, Floodway Data tables, Summary of Non-Coastal Stillwater Elevations tables, and Coastal Transect Parameters tables (not all components may be provided for a specific FIS).

This section presents important considerations for using the information contained in this FIS Report and the FIRM, including changes in format and content. Figures 1, 2, and 3 present information that applies to using the FIRM with the FIS Report.

- Part or all of this FIS Report may be revised and republished at any time. In addition, part of this FIS Report may be revised by a Letter of Map Revision (LOMR), which does not involve republication or redistribution of the FIS Report. Refer to Section 6.5 of this FIS

Report for information about the process to revise the FIS Report and/or FIRM.

It is, therefore, the responsibility of the user to consult with community officials by contacting the community repository to obtain the most current FIS Report components. Communities participating in the NFIP have established repositories of flood hazard data for floodplain management and flood insurance purposes. Community map repository addresses are provided in Table 31, “Map Repositories,” within this FIS Report.

- New FIS Reports are frequently developed for multiple communities, such as entire counties. A countywide FIS Report incorporates previous FIS Reports for individual communities and the unincorporated area of the county (if not jurisdictional) into a single document and supersedes those documents for the purposes of the NFIP.


The initial Countywide FIS Report for Dawson County became effective on September 26, 2008. Refer to Table 28 for information about subsequent revisions to the FIRMs.

The CRS is a voluntary incentive program that recognizes and encourages community floodplain management activities that exceed the minimum NFIP requirements. Visit the FEMA Web site at www.fema.gov/national-flood-insurance-program-community-rating-system or contact your appropriate FEMA Regional Office for more information about this program.

- FEMA has developed a *Guide to Flood Maps* (FEMA 258) and online tutorials to assist users in accessing the information contained on the FIRM. These include how to read panels and step-by-step instructions to obtain specific information. To obtain this guide and other assistance in using the FIRM, visit the FEMA Web site at www.fema.gov/online-tutorials.

The FIRM Index in Figure 1 shows the overall FIRM panel layout within Dawson County, and also displays the panel number and effective date for each FIRM panel in the county. Other information shown on the FIRM Index includes community boundaries, flooding sources, watershed boundaries, and United States Geological Survey (USGS) Hydrologic Unit Code – 8 (HUC-8) codes.

Figure 1: FIRM Panel Index



Map Projection:
Georgia State Plane West Zone (FIPS Zone 1002);
North American Datum 1983

THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT

[HTTP://MSC.FEMA.GOV](http://MSC.FEMA.GOV)

SEE FLOOD INSURANCE STUDY FOR ADDITIONAL INFORMATION

COUNTY LOCATOR



NATIONAL FLOOD INSURANCE PROGRAM
FLOOD INSURANCE RATE MAP INDEX

DAWSON COUNTY, GEORGIA and Incorporated Areas

PANELS PRINTED:

0025, 0050, 0075, 0092, 0094, 0095, 0100, 0103, 0105, 0108, 0111, 0112, 0113, 0114, 0116, 0117, 0118, 0119, 0150, 0175, 0200, 0201, 0202, 0204, 0225, 0250

PRELIMINARY
4/14/2016



FEMA

MAP NUMBER
13085CIND0B
MAP REVISED

*PANEL NOT PRINTED - NO SPECIAL FLOOD HAZARD AREAS

Each FIRM panel may contain specific notes to the user that provide additional information regarding the flood hazard data shown on that map. However, the FIRM panel does not contain enough space to show all the notes that may be relevant in helping to better understand the information on the panel. Figure 2 contains the full list of these notes.

Figure 2: FIRM Notes to Users

NOTES TO USERS

For information and questions about this map, available products associated with this FIRM including historic versions of this FIRM, how to order products, or the National Flood Insurance Program in general, please call the FEMA Map Information eXchange at 1-877-FEMA-MAP (1-877-336-2627) or visit the FEMA Map Service Center website at <http://msc.fema.gov>. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. Many of these products can be ordered or obtained directly from the website. Users may determine the current map date for each FIRM panel by visiting the FEMA Map Service Center website or by calling the FEMA Map Information eXchange.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM Index. These may be ordered directly from the Map Service Center at the number listed above.

For community and countywide map dates, refer to Table 28 in this FIS Report.

To determine if flood insurance is available in the community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

PRELIMINARY FIS REPORT: FEMA maintains information about map features, such as street locations and names, in or near designated flood hazard areas. Requests to revise information in or near designated flood hazard areas may be provided to FEMA during the community review period, at the final Consultation Coordination Officer's meeting, or during the statutory 90-day appeal period. Approved requests for changes will be shown on the final printed FIRM.

Figure 2: FIRM Notes to Users

The map is for use in administering the NFIP. It may not identify all areas subject to flooding, particularly from local drainage sources of small size. Consult the community map repository to find updated or additional flood hazard information.

BASE FLOOD ELEVATIONS: For more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, consult the Flood Profiles and Floodway Data and/or Summary of Non-Coastal Stillwater Elevations tables within this FIS Report. Use the flood elevation data within the FIS Report in conjunction with the FIRM for construction and/or floodplain management.

FLOODWAY INFORMATION: Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the FIS Report for this jurisdiction.

FLOOD CONTROL STRUCTURE INFORMATION: Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 4.3 "Non-Levee Flood Protection Measures" of this FIS Report for information on flood control structures for this jurisdiction.

PROJECTION INFORMATION: The projection used in the preparation of the map was Georgia State Plane West Zone FIPS Zone 1002. The horizontal datum was NAD83 GRS 1980 Spheroid. Differences in datum, spheroid, projection or State Plane zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of the FIRM.

ELEVATION DATUM: Flood elevations on the FIRM are referenced to the North American Vertical Datum of 1988 (NAVD88). These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988 (NAVD88), visit the National Geodetic Survey website at www.ngs.noaa.gov/ or contact the National Geodetic Survey at the following address:

*NGS Information Services
NOAA, N/NGS12
National Geodetic Survey
SSMC-3, #9202
1315 East-West Highway
Silver Spring, Maryland 20910-3282
(301) 713-3242*

Local vertical monuments may have been used to create the map. To obtain current monument information, please contact the appropriate local community listed in Table 31 of this FIS Report.

BASE MAP INFORMATION: Base map information shown on the FIRM was provided by 2013 digital orthoimagery produced by the National Agriculture Imagery Program (NAIP), at a 1-meter resolution. For information about base maps, refer to Section 6.2 "Base Map" in this FIS Report.

The map reflects more detailed and up-to-date stream channel configurations than those

Figure 2: FIRM Notes to Users

shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables may reflect stream channel distances that differ from what is shown on the map.

Corporate limits shown on the map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after the map was published, map users should contact appropriate community officials to verify current corporate limit locations.

NOTES FOR FIRM INDEX

REVISIONS TO INDEX: As new studies are performed and FIRM panels are updated within Dawson County, Georgia, corresponding revisions to the FIRM Index will be incorporated within the FIS Report to reflect the effective dates of those panels. Please refer to Table 28 of this FIS Report to determine the most recent FIRM revision date for each community. The most recent FIRM panel effective date will correspond to the most recent index date.

SPECIAL NOTES FOR SPECIFIC FIRM PANELS

This Notes to Users section was created specifically for Dawson County, Georgia and Incorporated Areas, effective **<date to be determined>**.

FLOOD RISK REPORT: A Flood Risk Report (FRR) may be available for many of the flooding sources and communities referenced in this FIS Report. The FRR is provided to increase public awareness of flood risk by helping communities identify the areas within their jurisdictions that have the greatest risks. Although non-regulatory, the information provided within the FRR can assist communities in assessing and evaluating mitigation opportunities to reduce these risks. It can also be used by communities developing or updating flood risk mitigation plans. These plans allow communities to identify and evaluate opportunities to reduce potential loss of life and property. However, the FRR is not intended to be the final authoritative source of all flood risk data for a project area; rather, it should be used with other data sources to paint a comprehensive picture of flood risk.

Each FIRM panel contains an abbreviated legend for the features shown on the maps. However, the FIRM panel does not contain enough space to show the legend for all map features. Figure 3 shows the full legend of all map features. Note that not all of these features may appear on the FIRM panels in Dawson County.

Figure 3: Map Legend for FIRM


<p>SPECIAL FLOOD HAZARD AREAS: <i>The 1% annual chance flood, also known as the base flood or 100-year flood, has a 1% chance of happening or being exceeded each year. Special Flood Hazard Areas are subject to flooding by the 1% annual chance flood. The Base Flood Elevation is the water surface elevation of the 1% annual chance flood. The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights. See note for specific types. If the floodway is too narrow to be shown, a note is shown.</i></p>	
	Special Flood Hazard Areas subject to inundation by the 1% annual chance flood (Zones A, AE, AH, AO, AR, A99, V and VE)
Zone A	The flood insurance rate zone that corresponds to the 1% annual chance floodplains. No base (1% annual chance) flood elevations (BFEs) or depths are shown within this zone.
Zone AE	The flood insurance rate zone that corresponds to the 1% annual chance floodplains. Base flood elevations derived from the hydraulic analyses are shown within this zone.
Zone AH	The flood insurance rate zone that corresponds to the areas of 1% annual chance shallow flooding (usually areas of ponding) where average depths are between 1 and 3 feet. Whole-foot BFEs derived from the hydraulic analyses are shown at selected intervals within this zone.
Zone AO	The flood insurance rate zone that corresponds to the areas of 1% annual chance shallow flooding (usually sheet flow on sloping terrain) where average depths are between 1 and 3 feet. Average whole-foot depths derived from the hydraulic analyses are shown within this zone.
Zone AR	The flood insurance rate zone that corresponds to areas that were formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
Zone A99	The flood insurance rate zone that corresponds to areas of the 1% annual chance floodplain that will be protected by a Federal flood protection system where construction has reached specified statutory milestones. No base flood elevations or flood depths are shown within this zone.
Zone V	The flood insurance rate zone that corresponds to the 1% annual chance coastal floodplains that have additional hazards associated with storm waves. Base flood elevations are not shown within this zone.
Zone VE	Zone VE is the flood insurance rate zone that corresponds to the 1% annual chance coastal floodplains that have additional hazards associated with storm waves. Base flood elevations derived from the coastal analyses are shown within this zone as static whole-foot elevations that apply throughout the zone.

Figure 3: Map Legend for FIRM

	<p>Regulatory Floodway determined in Zone AE.</p>
<p>OTHER AREAS OF FLOOD HAZARD</p>	
	<p>Shaded Zone X: Areas of 0.2% annual chance flood hazards and areas of 1% annual chance flood hazards with average depths of less than 1 foot or with drainage areas less than 1 square mile.</p>
	<p>Future Conditions 1% Annual Chance Flood Hazard – Zone X: The flood insurance rate zone that corresponds to the 1% annual chance floodplains that are determined based on future-conditions hydrology. No base flood elevations or flood depths are shown within this zone.</p>
	<p>Area with Reduced Flood Risk due to Levee: Areas where an accredited levee, dike, or other flood control structure has reduced the flood risk from the 1% annual chance flood. See Notes to Users for important information.</p>
<p>OTHER AREAS</p>	
	<p>Zone D (Areas of Undetermined Flood Hazard): The flood insurance rate zone that corresponds to unstudied areas where flood hazards are undetermined, but possible.</p>
	<p>Unshaded Zone X: Areas of minimal flood hazard.</p>
<p>FLOOD HAZARD AND OTHER BOUNDARY LINES</p>	
	<p>Flood Zone Boundary (white line on ortho-photography-based mapping; gray line on vector-based mapping)</p>
	<p>Limit of Study</p>
	<p>Jurisdiction Boundary</p>
	<p>Limit of Moderate Wave Action (LiMWA): Indicates the inland limit of the area affected by waves greater than 1.5 feet</p>
<p>GENERAL STRUCTURES</p>	
<p>----- <i>Aqueduct</i> <i>Channel</i> <i>Culvert</i> <i>Storm Sewer</i></p>	<p>Channel, Culvert, Aqueduct, or Storm Sewer</p>
<p>_____ <i>Dam</i> <i>Jetty</i> <i>Weir</i></p>	<p>Dam, Jetty, Weir</p>

Figure 3: Map Legend for FIRM

	Levee, Dike, or Floodwall
 <i>Bridge</i>	Bridge
<p>COASTAL BARRIER RESOURCES SYSTEM (CBRS) AND OTHERWISE PROTECTED AREAS (OPA): <i>CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas. See Notes to Users for important information.</i></p>	
 CBRS AREA 09/30/2009	Coastal Barrier Resources System Area: Labels are shown to clarify where this area shares a boundary with an incorporated area or overlaps with the floodway.
 OTHERWISE PROTECTED AREA 09/30/2009	Otherwise Protected Area
<p>REFERENCE MARKERS</p>	
 22.0	River mile Markers
<p>CROSS SECTION & TRANSECT INFORMATION</p>	
 20.2	Lettered Cross Section with Regulatory Water Surface Elevation (BFE)
 21.1	Numbered Cross Section with Regulatory Water Surface Elevation (BFE)
 17.5	Unlettered Cross Section with Regulatory Water Surface Elevation (BFE)
 8	Coastal Transect
	Profile Baseline: Indicates the modeled flow path of a stream and is shown on FIRM panels for all valid studies with profiles or otherwise established base flood elevation.
	Coastal Transect Baseline: Used in the coastal flood hazard model to represent the 0.0-foot elevation contour and the starting point for the transect and the measuring point for the coastal mapping.
 513	Base Flood Elevation Line
ZONE AE (EL 16)	Static Base Flood Elevation value (shown under zone label)
ZONE AO (DEPTH 2)	Zone designation with Depth

Figure 3: Map Legend for FIRM

ZONE AO (DEPTH 2) (VEL 15 FPS)	Zone designation with Depth and Velocity
BASE MAP FEATURES	
<i>Missouri Creek</i> 	River, Stream or Other Hydrographic Feature
	Interstate Highway
	U.S. Highway
	State Highway
	County Highway
MAPLE LANE 	Street, Road, Avenue Name, or Private Drive if shown on Flood Profile
 <i>RAILROAD</i>	Railroad
	Horizontal Reference Grid Line
	Horizontal Reference Grid Ticks
	Secondary Grid Crosshairs
Land Grant	Name of Land Grant
7	Section Number
R. 43 W. T. 22 N.	Range, Township Number
⁴²76^{000m}E	Horizontal Reference Grid Coordinates (UTM)
365000 FT	Horizontal Reference Grid Coordinates (State Plane)
80° 16' 52.5"	Corner Coordinates (Latitude, Longitude)

SECTION 2.0 – FLOODPLAIN MANAGEMENT APPLICATIONS

2.1 Floodplain Boundaries

To provide a national standard without regional discrimination, the 1% annual chance (100-year) flood has been adopted by FEMA as the base flood for floodplain management purposes. The 0.2% annual chance (500-year) flood is employed to indicate additional areas of flood hazard in the community.

Each flooding source included in the project scope has been studied and mapped using professional engineering and mapping methodologies that were agreed upon by FEMA and Dawson County as appropriate to the risk level. Flood risk is evaluated based on factors such as known flood hazards and projected impact on the built environment. Engineering analyses were performed for each studied flooding source to calculate its 1% annual chance flood elevations; elevations corresponding to other floods (e.g. 10-, 4-, 2-, 0.2-percent annual chance, etc.) may have also been computed for certain flooding sources. Engineering models and methods are described in detail in Section 5.0 of this FIS Report. The modeled elevations at cross sections were used to delineate the floodplain boundaries on the FIRM; between cross sections, the boundaries were interpolated using elevation data from various sources. More information on specific mapping methods is provided in Section 6.0 of this FIS Report.

Depending on the accuracy of available topographic data (Table 23), study methodologies employed (Section 5.0), and flood risk, certain flooding sources may be mapped to show both the 1% and 0.2% annual chance floodplain boundaries, regulatory water surface elevations (BFEs), and/or a regulatory floodway. Similarly, other flooding sources may be mapped to show only the 1% annual chance floodplain boundary on the FIRM, without published water surface elevations. In cases where the 1% and 0.2% annual chance floodplain boundaries are close together, only the 1% annual chance floodplain boundary is shown on the FIRM. Figure 3, “Map Legend for FIRM”, describes the flood zones that are used on the FIRMs to account for the varying levels of flood risk that exist along flooding sources within the project area. Table 2 and Table 3 indicate the flood zone designations for each flooding source and each community within Dawson County, Georgia, respectively.

Table 2, “Flooding Sources Included in this FIS Report,” lists each flooding source, including its study limits, affected communities, mapped zone on the FIRM, and the completion date of its engineering analysis from which the flood elevations on the FIRM and in the FIS Report were derived. Descriptions and dates for the latest hydrologic and hydraulic analyses of the flooding sources are shown in Table 13. Floodplain boundaries for these flooding sources are shown on the FIRM (published separately) using the symbology described in Figure 3. On the map, the 1% annual chance floodplain corresponds to the SFHAs. The 0.2% annual chance floodplain shows areas that, although out of the regulatory floodplain, are still subject to flood hazards.

Small areas within the floodplain boundaries may lie above the flood elevations but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data. The procedures to remove these areas from the SFHA are described in Section 6.5 of this FIS Report.

2.2 Floodways

Encroachment on floodplains, such as structures and fill, reduces flood-carrying capacity, increases flood heights and velocities, and increases flood hazards in areas beyond the

encroachment itself. One aspect of floodplain management involves balancing the economic gain from floodplain development against the resulting increase in flood hazard.

For purposes of the NFIP, a floodway is used as a tool to assist local communities in balancing floodplain development against increasing flood hazard. With this approach, the area of the 1% annual chance floodplain on a river is divided into a floodway and a floodway fringe based on hydraulic modeling. The floodway is the channel of a stream, plus any adjacent floodplain areas, that must be kept free of encroachment in order to carry the 1% annual chance flood. The floodway fringe is the area between the floodway and the 1% annual chance floodplain boundaries where encroachment is permitted. The floodway must be wide enough so that the floodway fringe could be completely obstructed without increasing the water surface elevation of the 1% annual chance flood more than 1 foot at any point. Typical relationships between the floodway and the floodway fringe and their significance to floodplain development are shown in Figure 4.

To participate in the NFIP, Federal regulations require communities to limit increases caused by encroachment to 1.0 foot, provided that hazardous velocities are not produced. Regulations for Georgia require communities in Dawson County to limit increases caused by encroachment to 0.5 foot and several communities have adopted additional restrictions. The floodways in this project are presented to local agencies as minimum standards that can be adopted directly or that can be used as a basis for additional floodway projects.

Figure 4: Floodway Schematic




Table 2: Flooding Sources Included in this FIS Report

Flooding Source	Community	Downstream Limit	Upstream Limit	HUC-8 Sub-Basin(s)	Length (mi) (streams or coastlines)	Area (mi ²) (estuaries or ponding)	Floodway (Y/N)	Zone shown on FIRM	Date of Analysis
Amicalola Creek	Dawson County, Unincorporated Areas	Dawson County and Forsyth County boundary	State Route 136	03150104	30.4		N	A	2007
Amicalola Creek Zone A Tributaries	Dawson County, Unincorporated Areas	Varies	Varies	03150104	Varies		N	A	2015
Black Mill Creek	Dawson County, Unincorporated Areas	Mouth of Etowah River	9,350 feet upstream of Blacks Mill Road	03150104	3.4		N	AE	1988
Etowah River	Dawson County, Unincorporated Areas	State Route 9	1,900 feet upstream of State Route 136	03150104	8.9		N	AE	1988
Etowah River Zone A Tributaries	Dawson County, Unincorporated Areas	Varies	Varies	03150104	Varies		N	A	2015
Flat Creek	Dawson County, Unincorporated Areas	Confluence of Amicalola Creek	Approximately 1,200 feet west of State Route 9	03150104	3.6		N	A	2007
Holly Creek	Dawson County, Unincorporated Areas	Confluence of Amicalola Creek	Approximately 1,600 feet northeast of State Route 183	03150104	3.5		N	A	2007
Mill Creek	Dawson County, Unincorporated Areas	Mouth of Etowah River	3,700 feet upstream of Thompson Road	03150104	1.4		N	AE	1988

Flooding Source	Community	Downstream Limit	Upstream Limit	HUC-8 Sub-Basin(s)	Length (mi) (streams or coastlines)	Area (mi ²) (estuaries or ponding)	Floodway (Y/N)	Zone shown on FIRM	Date of Analysis
Pigeon Creek	Dawson County, Unincorporated Areas	Confluence of Shoal Creek	Approximately 2,300 feet west of Dawson and Lumpkin counties boundary	03150104	7.3		N	A	2007
Pigeon Creek Tributary 5	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek	Approximately 500 feet east of State Route 183	03150104	1.0		N	A	2007
Pigeon Creek Tributary 6	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek	Approximately 360 feet southwest of State Route 136	03150104	2.0		N	A	2007
Pigeon Creek Tributary 6.1	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek Tributary 6	Approximately 1,200 feet east of State Route 136	03150104	1.1		N	A	2007
Pigeon Creek Tributary 7	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek	Approximately 800 feet west of Dawson and Lumpkin counties boundary	03150104	2.7		N	A	2007
Pigeon Creek Tributary 7.1	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek Tributary 7	Approximately 700 feet southeast of Little Mountain Road	03150104	0.4		N	A	2007
Pigeon Creek Tributary 8	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek	Approximately 3,800 feet southwest of Dawson and Lumpkin counties boundary	03150104	0.7		N	A	2007

Flooding Source	Community	Downstream Limit	Upstream Limit	HUC-8 Sub-Basin(s)	Length (mi) (streams or coastlines)	Area (mi ²) (estuaries or ponding)	Floodway (Y/N)	Zone shown on FIRM	Date of Analysis
Pigeon Creek Tributary 8.1	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek Tributary 8	Approximately 3,200 feet southwest of Dawson and Lumpkin counties boundary	03150104	0.8		N	A	2007
Pigeon Creek Tributary 9	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek	Approximately 3,100 feet southwest of Dawson and Lumpkin counties boundary	03150104	0.8		N	A	2007
Pigeon Creek Tributary 10	Dawson County, Unincorporated Areas	Confluence of Pigeon Creek	Approximately 1,200 feet southwest of Dawson and Lumpkin counties boundary.	03150104	0.8		N	A	2007
Shoal Creek Tributary 6	Dawson County, Unincorporated Areas	Confluence of Shoal Creek	Approximately 1,200 feet west of the intersection of Perimeter Road and State Route 9	03150104	1.6		N	A	2007
Shoal Creek Zone A Tributaries	Dawson County, Unincorporated Areas; Dawsonville, City of	Varies	Varies	03150104	Varies		N	A	2015

2.3 Base Flood Elevations

The hydraulic characteristics of flooding sources were analyzed to provide estimates of the elevations of floods of the selected recurrence intervals. The Base Flood Elevation (BFE) is the elevation of the 1% annual chance flood. These BFEs are most commonly rounded to the whole foot, as shown on the FIRM, but in certain circumstances or locations they may be rounded to 0.1 foot. Cross section lines shown on the FIRM may also be labeled with the BFE rounded to 0.1 foot. Whole-foot BFEs derived from engineering analyses that apply to coastal areas, areas of ponding, or other static areas with little elevation change may also be shown at selected intervals on the FIRM.

Cross sections with BFEs shown on the FIRM correspond to the cross sections shown in the Floodway Data table and Flood Profiles in this FIS Report. BFEs are primarily intended for flood insurance rating purposes. For construction and/or floodplain management purposes, users are cautioned to use the flood elevation data presented in this FIS Report in conjunction with the data shown on the FIRM.

2.4 Non-Encroachment Zones

This section is not applicable to this Flood Risk Project.

2.5 Coastal Flood Hazard Areas

This section is not applicable to this Flood Risk Project.

2.5.1 Water Elevations and the Effects of Waves

This section is not applicable to this Flood Risk Project.

Figure 5: Wave Runup Transect Schematic

[Not Applicable to this Flood Risk Project]

2.5.2 Floodplain Boundaries and BFEs for Coastal Areas

This section is not applicable to this Flood Risk Project.

2.5.3 Coastal High Hazard Areas

This section is not applicable to this Flood Risk Project.

Figure 6: Coastal Transect Schematic

[Not Applicable to this Flood Risk Project]

2.5.4 Limit of Moderate Wave Action

This section is not applicable to this Flood Risk Project.

SECTION 3.0 – INSURANCE APPLICATIONS

3.1 National Flood Insurance Program Insurance Zones

For flood insurance applications, the FIRM designates flood insurance rate zones as described in Figure 3, “Map Legend for FIRM.” Flood insurance zone designations are assigned to flooding sources based on the results of the hydraulic or coastal analyses. Insurance agents use the zones shown on the FIRM and depths and base flood elevations in this FIS Report in conjunction with information on structures and their contents to assign premium rates for flood insurance policies.

The 1% annual chance floodplain boundary corresponds to the boundary of the areas of special flood hazards (e.g. Zones A, AE, V, VE, etc.), and the 0.2% annual chance floodplain boundary corresponds to the boundary of areas of additional flood hazards.

Table 3 lists the flood insurance zones in Dawson County.

Table 3: Flood Zone Designations by Community

Community	Flood Zone(s)
Dawson County, Unincorporated Areas	A, AE, D, X
Dawsonville, City of	A, X

3.2 Coastal Barrier Resources System

This section is not applicable to this Flood Risk Project.

Table 4: Coastal Barrier Resources System Information

[Not Applicable to this Flood Risk Project]

SECTION 4.0 – AREA STUDIED

4.1 Basin Description

Table 5 contains a description of the characteristics of the HUC-8 sub-basins within which each community falls. The table includes the main flooding sources within each basin, a brief description of the basin, and its drainage area.

Table 5: Basin Characteristics

HUC-8 Sub-Basin Name	HUC-8 Sub-Basin Number	Primary Flooding Source	Description of Affected Area	Drainage Area (square miles)
Coosawattee River Basin	03150102	Coosawattee River	The river begins at the confluence of the Oostanaula River and extends east to Gilmer County. Less than 1% of Dawson County is within this basin.	861
Etowah River Sub-basin	03150104	Etowah River	Begins at the confluence of the Coosa River and Oostanaula River, and extends northeast from Rome, GA to Dahlonega, GA. The primary tributary in Dawson County is Amicalola Creek. 92% of Dawson County is within the Etowah River Basin.	301
Etowah River Basin	03150104	Etowah River	164 mile long reach from Rome, GA to Dahlonega, GA. The largest tributary in this basin is Little River which joins the Etowah River at Lake Allatoona. 92% of Dawson County is within the Etowah River Basin.	1,861
Upper Chattahoochee River Basin	03010001	Chattahoochee River	Begins in Union County, GA and runs southwest through Lake Lanier. Only 7% of Dawson County drains into this basin.	1,585

4.2 Principal Flood Problems

Table 6 contains a description of the principal flood problems that have been noted for Dawson County by flooding source.

Table 6: Principal Flood Problems

Flooding Source	Description of Flood Problems
Multiple Streams in Dawson County	Most of the flood problems existing in the study area are in low lying agricultural areas. Localized flooding in certain areas not identified in this study may exist.

Table 7 contains information about historic flood elevations in the communities within Dawson County.

Table 7: Historic Flooding Elevations

[Not Applicable to this Flood Risk Project]

4.3 Non-Levee Flood Protection Measures

Table 8 contains information about non-levee flood protection measures within Dawson County such as dams, jetties, and or dikes. Levees are addressed in Section 4.4 of this FIS Report.

Table 8: Non-Levee Flood Protection Measures

[Not Applicable to this Flood Risk Project]

4.4 Levees

This section is not applicable to this Flood Risk Project.

Table 9: Levees

[Not Applicable to this Flood Risk Project]

SECTION 5.0 – ENGINEERING METHODS

For the flooding sources in the community, standard hydrologic and hydraulic study methods were used to determine the flood hazard data required for this study. Flood events of a magnitude that are expected to be equaled or exceeded at least once on the average during any 10-, 25-, 50-, 100-, or 500-year period (recurrence interval) have been selected as having special significance for floodplain management and for flood insurance rates. These events, commonly termed the 10-, 25-, 50-, 100-, and 500-year floods, have a 10-, 4-, 2-, 1-, and 0.2% annual chance, respectively, of being equaled or exceeded during any year.

Although the recurrence interval represents the long-term, average period between floods of a specific magnitude, rare floods could occur at short intervals or even within the same year. The risk of experiencing a rare flood increases when periods greater than 1 year are considered. For example, the risk of having a flood that equals or exceeds the 100-year flood (1-percent chance of annual exceedance) during the term of a 30-year mortgage is approximately 26 percent (about 3 in 10); for any 90-year period, the risk increases to approximately 60 percent (6 in 10). The analyses reported herein reflect flooding potentials based on conditions existing in the community at the time of completion of this study. Maps and flood elevations will be amended periodically to reflect future changes.

5.1 Hydrologic Analyses

Hydrologic analyses were carried out to establish the peak elevation-frequency relationships for floods of the selected recurrence intervals for each flooding source studied. Hydrologic analyses are typically performed at the watershed level. Depending on factors such as watershed size and shape, land use and urbanization, and natural or man-made storage, various models or

methodologies may be applied. A summary of the hydrologic methods applied to develop the discharges used in the hydraulic analyses for each stream is provided in Table 13. Greater detail (including assumptions, analysis, and results) is available in the archived project documentation.

A summary of the discharges is provided in Table 10. Frequency Discharge-Drainage Area Curves used to develop the hydrologic models may also be shown in Figure 7 for selected flooding sources. A summary of stillwater elevations developed for non-coastal flooding sources is provided in Table 11. (Coastal stillwater elevations are discussed in Section 5.3 and shown in Table 17.) Stream gage information is provided in Table 12.

Table 10: Summary of Discharges

Flooding Source	Location	Drainage Area (Square Miles)	Peak Discharge (cfs)					
			10% Annual Chance	4% Annual Chance	2% Annual Chance	1% Annual Chance Existing	1% Annual Chance Future	0.2% Annual Chance
Black Mill Creek	At mouth	7.8	*	*	*	2,677	*	3,683
Black Mill Creek	Approximately 2,500 feet downstream of confluence of Route 115	3.8	*	*	*	1,845	*	2,555
Black Mill Creek	Approximately 1.53 miles upstream of confluence of Route 115	2.3	*	*	*	1,386	*	1,929
Etowah River	At State Route 9	131.2	*	*	*	12,573	*	16,287
Etowah River	Approximately 0.70 miles upstream of confluence of Black Mill Creek	123.8	*	*	*	11,263	*	14,401
Etowah River	Approximately 800 feet upstream of confluence of Mill Creek	119.0	*	*	*	10,393	*	13,160
Etowah River	Approximately 2,100 feet downstream of County Route 248	115.8	*	*	*	9,813	*	12,332
Etowah River	Approximately 2,800 feet downstream of State Route 53	112.6	*	*	*	9,276	*	11,567
Etowah River	Approximately 0.66 miles downstream of confluence with Palmer Creek	107.5	*	*	*	8,403	*	10,330
Mill Creek	At mouth	2.8	*	*	*	1,229	*	1,652

*Not calculated for this Flood Risk Project

Figure 7: Frequency Discharge-Drainage Area Curves
 [Not Applicable to this Flood Risk Project]

Table 11: Summary of Non-Coastal Stillwater Elevations
 [Not Applicable to this Flood Risk Project]

Table 12: Stream Gage Information used to Determine Discharges

Flooding Source	Gage Identifier	Agency that Maintains Gage	Site Name	Drainage Area (Square Miles)	Period of Record	
					From	To
Etowah River	02388900	USGS	Etowah River Near Dahlonega, GA	69.7	3/15/1950	7/3/2013
Etowah River	02389000	USGS	Etowah River Near Dawsonville, GA	107	8/13/1940	2/3/1982
Shoal Creek	02389300	USGS	Shoal Creek Near Dawsonville, GA	21.7	6/1/1958	9/30/1974

5.2 Hydraulic Analyses

Analyses of the hydraulic characteristics of flooding from the sources studied were carried out to provide estimates of the elevations of floods of the selected recurrence intervals. Base flood elevations on the FIRM represent the elevations shown on the Flood Profiles and in the Floodway Data tables in the FIS Report. Rounded whole-foot elevations may be shown on the FIRM in coastal areas, areas of ponding, and other areas with static base flood elevations. These whole-foot elevations may not exactly reflect the elevations derived from the hydraulic analyses. Flood elevations shown on the FIRM are primarily intended for flood insurance rating purposes. For construction and/or floodplain management purposes, users are cautioned to use the flood elevation data presented in this FIS Report in conjunction with the data shown on the FIRM. The hydraulic analyses for this FIS were based on unobstructed flow. The flood elevations shown on the profiles are thus considered valid only if hydraulic structures remain unobstructed, operate properly, and do not fail.

For streams for which hydraulic analyses were based on cross sections, locations of selected cross sections are shown on the Flood Profiles (Exhibit 1). For stream segments for which a floodway was computed (Section 6.3), selected cross sections are also listed on Table 24, "Floodway Data."

A summary of the methods used in hydraulic analyses performed for this project is provided in Table 13. Roughness coefficients are provided in Table 14. Roughness coefficients are values

representing the frictional resistance water experiences when passing overland or through a channel. They are used in the calculations to determine water surface elevations. Greater detail (including assumptions, analysis, and results) is available in the archived project documentation.

Table 13: Summary of Hydrologic and Hydraulic Analyses

Flooding Source	Study Limits		Hydrologic Model or Method Used	Hydraulic Model or Method Used	Date Analyses Completed	Flood Zone on FIRM	Special Considerations
	Downstream Limit	Upstream Limit					
Amicalola Creek	Dawson County and Forsyth County boundary	State Route 136	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Amicalola Creek Zone A Tributaries	Varies	Varies	USGS Regression Equations (2011 and 2014)	HEC-RAS Version 4.1	2015	A	
Black Mill Creek	Mouth of Etowah River	9,350 feet upstream of Blacks Mill Road	USGS Regression Equations (1976)	USACE HEC-2	1988	AE	
Etowah River	State Route 9	1,900 feet upstream of State Route 136	USGS Regression Equations (1976)	USACE HEC-2	1988	AE	
Etowah River	US Air Force Reservation Boundary	Approximately 8,266 feet upstream of US Air Force Reservation Boundary	PeakFQ Version 5.2	HEC-RAS Version 4.1	2015	A	
Etowah River	Approximately 1,700 feet upstream of State Route 136	Chattahoochee National Forest boundary	PeakFQ Version 5.2	HEC-RAS Version 4.1	2015	A	

Flooding Source	Study Limits		Hydrologic Model or Method Used	Hydraulic Model or Method Used	Date Analyses Completed	Flood Zone on FIRM	Special Considerations
	Downstream Limit	Upstream Limit					
Etowah River Zone A Tributaries	Varies	Varies	USGS Regression Equations (2011 and 2014)	HEC-RAS Version 4.1	2015	A	
Flat Creek	Confluence of Amicalola Creek	Approximately 1,200 feet west of State Route 9.	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Holly Creek	Confluence of Amicalola Creek	Approximately 1,600 feet northeast of State Route 183	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Mill Creek	Mouth of Etowah River	3,700 feet upstream of Thompson Road	USGS Regression Equations (1976)	USACE HEC-2	1988	AE	
Pigeon Creek	Confluence of Shoal Creek	Approximately 2,300 feet west of Dawson and Lumpkin counties boundary	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 5	Confluence of Pigeon Creek	Approximately 500 feet east of State Route 183	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 6	Confluence of Pigeon Creek	Approximately 360 feet southwest of State Route 136	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	

Flooding Source	Study Limits		Hydrologic Model or Method Used	Hydraulic Model or Method Used	Date Analyses Completed	Flood Zone on FIRM	Special Considerations
	Downstream Limit	Upstream Limit					
Pigeon Creek Tributary 6.1	Confluence of Pigeon Creek Tributary 6	Approximately 1,200 feet east of State Route 136	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 7	Confluence of Pigeon Creek	Approximately 800 feet west of Dawson and Lumpkin counties boundary	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 7.1	Confluence of Pigeon Creek Tributary 7	Approximately 700 feet southeast of Little Mountain Road	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 8	Confluence of Pigeon Creek	Approximately 3,800 feet southwest of Dawson and Lumpkin counties boundary	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 8.1	Confluence of Pigeon Creek Tributary 8	Approximately 3,200 feet southwest of Dawson and Lumpkin counties boundary	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Pigeon Creek Tributary 9	Confluence of Pigeon Creek	Approximately 3,100 feet southwest of Dawson and Lumpkin counties boundary	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	

Flooding Source	Study Limits		Hydrologic Model or Method Used	Hydraulic Model or Method Used	Date Analyses Completed	Flood Zone on FIRM	Special Considerations
	Downstream Limit	Upstream Limit					
Pigeon Creek Tributary 10	Confluence of Pigeon Creek	Approximately 1,200 feet southwest of Dawson and Lumpkin counties boundary.	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Shoal Creek	Border of Dawson Forest	Approximately 6300 feet upstream of Deer Leap Road	PeakFQ Version 5.2	HEC-RAS Version 4.1	2015	A	
Shoal Creek Tributary 6	Confluence of Shoal Creek	Approximately 1,200 feet west of the intersection of Perimeter Road and State Route 9	USGS Regression Equations (1993)	HEC-RAS Version 3.1.3	2007	A	
Shoal Creek Zone A Tributaries	Varies	Varies	USGS Regression Equations (2011 and 2014)	HEC-RAS Version 4.1	2015	A	

Table 14: Roughness Coefficients

Flooding Source	Channel “n”	Overbank “n”
Black Mill Creek	0.035-0.06	0.06-0.15
Etowah River	0.035-0.06	0.06-0.15
Mill Creek	0.035-0.06	0.06-0.15
Amicalola Creek Zone A Tributaries	0.045-0.07	0.04-0.12
Etowah River Zone A Tributaries	0.045-0.07	0.045-0.12
Shoal Creek Zone A Tributaries	0.075	0.04-0.12

5.3 Coastal Analyses

This section is not applicable to this Flood Risk Project.

Table 15: Summary of Coastal Analyses

[Not Applicable to this Flood Risk Project]

5.3.1 Total Stillwater Elevations

This section is not applicable to this Flood Risk Project.

Figure 8: 1% Annual Chance Total Stillwater Elevations for Coastal Areas

[Not Applicable to this Flood Risk Project]

Table 16: Tide Gage Analysis Specifics

[Not Applicable to this Flood Risk Project]

5.3.2 Waves

This section is not applicable to this Flood Risk Project.

5.3.3 Coastal Erosion

This section is not applicable to this Flood Risk Project.

5.3.4 Wave Hazard Analyses

This section is not applicable to this Flood Risk Project.

Table 17: Coastal Transect Parameters
[Not Applicable to this Flood Risk Project]

Figure 9: Transect Location Map
[Not Applicable to this Flood Risk Project]

5.4 Alluvial Fan Analyses

This section is not applicable to this Flood Risk Project.

Table 18: Summary of Alluvial Fan Analyses
[Not Applicable to this Flood Risk Project]

Table 19: Results of Alluvial Fan Analyses
[Not Applicable to this Flood Risk Project]

SECTION 6.0 – MAPPING METHODS

6.1 Vertical and Horizontal Control

All FIS Reports and FIRMs are referenced to a specific vertical datum. The vertical datum provides a starting point against which flood, ground, and structure elevations can be referenced and compared. Until recently, the standard vertical datum used for newly created or revised FIS Reports and FIRMs was the National Geodetic Vertical Datum of 1929 (NGVD29). With the completion of the North American Vertical Datum of 1988 (NAVD88), many FIS Reports and FIRMs are now prepared using NAVD88 as the referenced vertical datum.

Flood elevations shown in this FIS Report and on the FIRMs are referenced to North American Vertical Datum of 1988 (NAVD 88). These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between NGVD29 and NAVD88 or other datum conversion, visit the National Geodetic Survey website at www.ngs.noaa.gov, or contact the National Geodetic Survey at the following address:

NGS Information Services
NOAA, N/NGS12
National Geodetic Survey
SSMC-3, #9202
1315 East-West Highway
Silver Spring, Maryland 20910-3282
(301) 713-3242

Temporary vertical monuments are often established during the preparation of a flood hazard analysis for the purpose of establishing local vertical control. Although these monuments are not

shown on the FIRM, they may be found in the archived project documentation associated with the FIS Report and the FIRMs for this community. Interested individuals may contact FEMA to access these data.

To obtain current elevation, description, and/or location information for benchmarks in the area, please contact the Information Services Branch of the NGS at (301) 713-3242, or visit their website at www.ngs.noaa.gov.

The datum conversion locations and values that were calculated for Dawson County are provided in Table 20.

Table 20: Countywide Vertical Datum Conversion

Quadrangle Name	Quadrangle Corner	Latitude	Longitude	Conversion from NGVD29 to NAVD88 (feet)
Amicalola	SE	34.500	-84.250	0.102
Dawsonville	SE	34.375	-84.000	0.039
Juno	SE	34.375	-84.125	0.056
Nelson	SE	34.375	-84.250	0.049
Nimblewill	SE	34.500	-84.125	0.092
Tickanetley	SE	34.625	-84.250	0.203
Average Conversion from NGVD29 to NAVD88 = 0.090 feet				

Table 21: Stream-by-Stream Vertical Datum Conversion

[Not Applicable to this Flood Risk Project]

6.2 Base Map

The FIRMs and FIS Report for this project have been produced in a digital format. The flood hazard information was converted to a Geographic Information System (GIS) format that meets FEMA’s FIRM database specifications and geographic information standards. This information is provided in a digital format so that it can be incorporated into a local GIS and be accessed more easily by the community. The FIRM Database includes most of the tabular information contained in the FIS Report in such a way that the data can be associated with pertinent spatial features. For example, the information contained in the Floodway Data table and Flood Profiles can be linked to the cross sections that are shown on the FIRMs. Additional information about the FIRM Database and its contents can be found in FEMA’s *Guidelines and Standards for Flood Risk Analysis and Mapping*, www.fema.gov/guidelines-and-standards-flood-risk-analysis-and-mapping.

Base map information shown on the FIRM was derived from the sources described in Table 22.

Table 22: Base Map Sources

Data Type	Data Provider	Data Date	Data Scale	Data Description
NAIP Aerial Base Map 2013	USDA - FSA Aerial Photography Field Office	2013	1:12,000	Aerial Imagery
TIGER/Line shapefiles	U.S. Census Bureau	2014	1:12,000	Road centerline data
National Hydrography Dataset (NHD)	USDA/NRCS - National Geospatial Center of Excellence	2014	1:100,000	Streams and rivers data

6.3 Floodplain and Floodway Delineation

The FIRM shows tints, screens, and symbols to indicate floodplains and floodways as well as the locations of selected cross sections used in the hydraulic analyses and floodway computations.

For riverine flooding sources, the mapped floodplain boundaries shown on the FIRM have been delineated using the flood elevations determined at each cross section; between cross sections, the boundaries were interpolated using the topographic elevation data described in Table 23.

In cases where the 1% and 0.2% annual chance floodplain boundaries are close together, only the 1% annual chance floodplain boundary has been shown. Small areas within the floodplain boundaries may lie above the flood elevations but cannot be shown due to limitations of the map scale and/or lack of detailed topographic data.

The floodway widths presented in this FIS Report and on the FIRM were computed for certain stream segments on the basis of equal conveyance reduction from each side of the floodplain. Floodway widths were computed at cross sections. Between cross sections, the floodway boundaries were interpolated. Table 2 indicates the flooding sources for which floodways have been determined. The results of the floodway computations for those flooding sources have been tabulated for selected cross sections and are shown in Table 24, "Floodway Data."

Table 23: Summary of Topographic Elevation Data used in Mapping

Community	Flooding Source	Source for Topographic Elevation Data			
		Description	Scale	Contour Interval	Citation
Dawson County, Unincorporated Areas; Dawsonville, City of	Multiple streams	Lumpkin County Government	600	2	TOPO2006
Dawson County, Unincorporated Areas; Dawsonville, City of	Multiple streams	Georgia Mountains Regional Commission	12000	2	TOPO2010
Dawson County, Unincorporated Areas; Dawsonville, City of	Multiple streams	Dawson County Planning and Development Department	12000	2	TOPO2008

BFEs shown at cross sections on the FIRM represent the 1% annual chance water surface elevations shown on the Flood Profiles and in the Floodway Data tables in the FIS Report. Rounded whole-foot elevations may be shown on the FIRM in coastal areas, areas of ponding, and other areas with static base flood elevations.

Table 24: Floodway Data

[Not Applicable to this Flood Risk Project]

Table 25: Flood Hazard and Non-Encroachment Data for Selected Streams

[Not Applicable to this Flood Risk Project]

6.4 Coastal Flood Hazard Mapping

This section is not applicable to this Flood Risk Project.

Table 26: Summary of Coastal Transect Mapping Considerations

[Not Applicable to this Flood Risk Project]

6.5 FIRM Revisions

This FIS Report and the FIRM are based on the most up-to-date information available to FEMA at the time of its publication; however, flood hazard conditions change over time. Communities or private parties may request flood map revisions at any time. Certain types of requests require submission of supporting data. FEMA may also initiate a revision. Revisions to FIS projects may

take several forms, including Letters of Map Amendment (LOMAs), Letters of Map Revision Based on Fill (LOMR-Fs), Letters of Map Revision (LOMRs) (referred to collectively as Letters of Map Change (LOMCs)), Physical Map Revisions (PMRs), and FEMA-contracted restudies. These types of revisions are further described below. Some of these types of revisions do not result in the republishing of the FIS Report. To assure that any user is aware of all revisions, it is advisable to contact the community repository of flood-hazard data (shown in Table 31, “Map Repositories”).

6.5.1 Letters of Map Amendment

A LOMA is an official revision by letter to an effective NFIP map. A LOMA results from an administrative process that involves the review of scientific or technical data submitted by the owner or lessee of property who believes the property has incorrectly been included in a designated SFHA. A LOMA amends the currently effective FEMA map and establishes that a specific property is not located in a SFHA. A LOMA cannot be issued for properties located on the PFD (primary frontal dune).

To obtain an application for a LOMA, visit www.fema.gov/floodplain-management/letter-map-amendment-loma and download the form “MT-1 Application Forms and Instructions for Conditional and Final Letters of Map Amendment and Letters of Map Revision Based on Fill”. Visit the “Flood Map-Related Fees” section to determine the cost, if any, of applying for a LOMA.

FEMA offers a tutorial on how to apply for a LOMA. The LOMA Tutorial Series can be accessed at www.fema.gov/online-tutorials.

For more information about how to apply for a LOMA, call the FEMA Map Information eXchange; toll free, at 1-877-FEMA MAP (1-877-336-2627).

6.5.2 Letters of Map Revision Based on Fill

A LOMR-F is an official revision by letter to an effective NFIP map. A LOMR-F states FEMA’s determination concerning whether a structure or parcel has been elevated on fill above the base flood elevation and is, therefore, excluded from the SFHA.

Information about obtaining an application for a LOMR-F can be obtained in the same manner as that for a LOMA, by visiting www.fema.gov/floodplain-management/letter-map-amendment-loma for the “MT-1 Application Forms and Instructions for Conditional and Final Letters of Map Amendment and Letters of Map Revision Based on Fill” or by calling the FEMA Map Information eXchange, toll free, at 1-877-FEMA MAP (1-877-336-2627). Fees for applying for a LOMR-F, if any, are listed in the “Flood Map-Related Fees” section.

A tutorial for LOMR-F is available at www.fema.gov/online-tutorials.

6.5.3 Letters of Map Revision

A LOMR is an official revision to the currently effective FEMA map. It is used to change flood zones, floodplain and floodway delineations, flood elevations and planimetric features. All requests for LOMRs should be made to FEMA through the chief executive officer of the community, since it is the community that must adopt any changes and revisions to the map. If the request for a LOMR is not submitted through the chief executive officer of the community, evidence must be submitted that the community has been notified of the request.

To obtain an application for a LOMR, visit www.fema.gov/national-flood-insurance-program-flood-hazard-mapping/mt-2-application-forms-and-instructions and download the form “MT-2 Application Forms and Instructions for Conditional Letters of Map Revision and Letters of Map Revision”. Visit the “Flood Map-Related Fees” section to determine the cost of applying for a LOMR. For more information about how to apply for a LOMR, call the FEMA Map Information eXchange; toll free, at 1-877-FEMA MAP (1-877-336-2627) to speak to a Map Specialist.

Previously issued mappable LOMCs (including LOMRs) that have been incorporated into the Dawson County FIRM are listed in Table 27.

Table 27: Incorporated Letters of Map Change

[Not Applicable to this Flood Risk Project]

6.5.4 Physical Map Revisions

A PMR is an official republication of a community’s NFIP map to effect changes to base flood elevations, floodplain boundary delineations, regulatory floodways and planimetric features. These changes typically occur as a result of structural works or improvements, annexations resulting in additional flood hazard areas or correction to base flood elevations or SFHAs.

The community’s chief executive officer must submit scientific and technical data to FEMA to support the request for a PMR. The data will be analyzed and the map will be revised if warranted. The community is provided with copies of the revised information and is afforded a review period. When the base flood elevations are changed, a 90-day appeal period is provided. A 6-month adoption period for formal approval of the revised map(s) is also provided.

For more information about the PMR process, please visit <http://www.fema.gov> and visit the “Flood Map Revision Processes” section.

6.5.5 Contracted Restudies

The NFIP provides for a periodic review and restudy of flood hazards within a given community. FEMA accomplishes this through a national watershed-based mapping needs assessment strategy, known as the Coordinated Needs Management Strategy (CNMS). The CNMS is used by FEMA to assign priorities and allocate funding for new flood hazard analyses used to update the FIS Report and FIRM. The goal of CNMS is to define the validity of the engineering study data within a mapped inventory. The CNMS is used to track the assessment process, document engineering gaps and their resolution, and aid in prioritization for using flood risk as a key factor for areas identified for flood map updates. Visit www.fema.gov to learn more about the CNMS or contact the FEMA Regional Office listed in Section 8 of this FIS Report.

6.5.6 Community Map History

The current FIRM presents flooding information for the entire geographic area of Dawson County. Previously, separate FIRMs, Flood Hazard Boundary Maps (FHBMs) and/or Flood Boundary and Floodway Maps (FBFMs) may have been prepared for the incorporated communities and the unincorporated areas in the county that had identified SFHAs. Current and historical data relating to the maps prepared for the project area are presented in Table 28, “Community Map History.” A description of each of the column headings and the source of the date is also listed below.

- *Community Name* includes communities falling within the geographic area shown on the FIRM, including those that fall on the boundary line, nonparticipating communities, and communities with maps that have been rescinded. Communities with No Special Flood Hazards are indicated by a footnote. If all maps (FHBM, FBFM, and FIRM) were rescinded for a community, it is not listed in this table unless SFHAs have been identified in this community.
- *Initial Identification Date (First NFIP Map Published)* is the date of the first NFIP map that identified flood hazards in the community. If the FHBM has been converted to a FIRM, the initial FHBM date is shown. If the community has never been mapped, the upcoming effective date or “pending” (for Preliminary FIS Reports) is shown. If the community is listed in Table 28 but not identified on the map, the community is treated as if it were unmapped.
- *Initial FHBM Effective Date* is the effective date of the first Flood Hazard Boundary Map (FHBM). This date may be the same date as the Initial NFIP Map Date.
- *FHBM Revision Date(s)* is the date(s) that the FHBM was revised, if applicable.
- *Initial FIRM Effective Date* is the date of the first effective FIRM for the community. This is the first effective date that is shown on the FIRM panel.
- *FIRM Revision Date(s)* is the date(s) the FIRM was revised, if applicable. This is the revised date that is shown on the FIRM panel, if applicable. As countywide studies are completed or revised, each community listed should have its FIRM dates updated accordingly to reflect the date of the countywide study. Once the FIRMs exist in countywide format, as Physical Map Revisions (PMR) of FIRM panels within the county are completed, the FIRM Revision Dates in the table for each community affected by the PMR are updated with the date of the PMR, even if the PMR did not revise all the panels within that community.

The initial effective date for the Dawson County FIRM in countywide format was September 26, 2008.

Table 28: Community Map History

Community Name	Initial Identification Date (First NFIP Map Published)	Initial FHBM Effective Date	FHBM Revision Date(s)	Initial FIRM Effective Date	FIRM Revision Date(s)
Dawson County, Unincorporated Areas	6/18/1976	6/18/1976	None	12/15/1990	9/26/2008
Dawsonville, City of	1/17/1975	1/17/1975	None	5/21/1982	9/26/2008

SECTION 7.0 – CONTRACTED STUDIES AND COMMUNITY COORDINATION

7.1 Contracted Studies

Table 29 provides a summary of the contracted studies, by flooding source, that are included in this FIS Report.

Table 29: Summary of Contracted Studies Included in this FIS Report

Flooding Source	FIS Report Dated	Contractor	Number	Work Completed Date	Affected Communities
Black Mill Creek, Etowah River, Mill Creek	12/15/1990	Post, Buckley, Schuh, and Jernigan, Inc. (PBS&J)	EMA-86-C-0113	December 1988	Dawson County, Unincorporated Areas
Amicalola Creek, Flat Creek, Holly Creek, Pigeon Creek, Pigeon Creek Tributary 5, Pigeon Creek Tributary 6, Pigeon Creek Tributary 6.1, Pigeon Creek Tributary 7, Pigeon Creek Tributary 7.1, Pigeon Creek Tributary 8, Pigeon Creek Tributary 8.1, Pigeon Creek Tributary 9, Pigeon Creek Tributary 10, Shoal Creek Tributary 6	9/26/2008	Post, Buckley, Schuh, and Jernigan, Inc. (PBS&J)	EMA-2006-CA-5615	September 2007	Dawson County, Unincorporated Areas; Dawsonville, City of
Multiple Zone A streams in Dawson County	<To Be Determined>	Dewberry	EMA-2013-CA-5354	September 2015	Dawson County, Unincorporated Areas; Dawsonville, City of

7.2 Community Meetings

The dates of the community meetings held for this FIS project and any previous FIS projects are shown in Table 30. These meetings may have previously been referred to by a variety of names (Community Coordination Officer (CCO), Scoping, Discovery, etc.), but all meetings represent opportunities for FEMA, community officials, study contractors, and other invited guests to discuss the planning for and results of the project.

Table 30: Community Meetings

Community	FIS Report Dated	Date of Meeting	Meeting Type	Attended By
Dawson County, Unincorporated Areas	12/15/1990	10/14/1986	Initial CCO	FEMA, the community, and the study contractor
		1/29/1990	Final CCO	FEMA, the community, and the study contractor
Dawson County, Unincorporated Areas	9/26/2008	1/18/2006	Scoping	Dawson County, the Georgia Department of Natural Resources, FEMA, Georgia Environmental Protection Division, and PBS&J
Dawson County, Unincorporated Areas; Dawsonville, City of	<To Be Determined>	11/12/2013	Discovery	Dawson County, the Georgia Department of Natural Resources, FEMA, Georgia Environmental Protection Division, and the study contractors
		11/13/2013	Discovery	Dawson County, the Georgia Department of Natural Resources, FEMA, Georgia Environmental Protection Division, and the study contractors
		9/3/2015	Flood Risk Review	Dawson County, the Georgia Department of Natural Resources, FEMA, Georgia Environmental Protection Division, and the study contractors

SECTION 8.0 – ADDITIONAL INFORMATION

Information concerning the pertinent data used in the preparation of this FIS Report can be obtained by submitting an order with any required payment to the FEMA Engineering Library. For more information on this process, see <http://www.fema.gov>.

The additional data that was used for this project includes the FIS Report and FIRM that were previously prepared for Dawson County and Incorporated Areas (FEMA 2008).

Table 31 is a list of the locations where FIRMs for Dawson County can be viewed. Please note that the maps at these locations are for reference only and are not for distribution. Also, please note that only the maps for the community listed in the table are available at that particular repository. A user may need to visit another repository to view maps from an adjacent community.

Table 31: Map Repositories

Community	Address	City	State	Zip Code
Dawson County, Unincorporated Areas	25 Justice Way, Suite 2322	Dawsonville	Georgia	30534
Dawsonville, City of	415 Highway 53 East	Dawsonville	Georgia	30534

The National Flood Hazard Layer (NFHL) dataset is a compilation of effective FIRM databases and LOMCs. Together they create a GIS data layer for a State or Territory. The NFHL is updated as studies become effective and extracts are made available to the public monthly. NFHL data can be viewed or ordered from the website shown in Table 32.

Table 32 contains useful contact information regarding the FIS Report, the FIRM, and other relevant flood hazard and GIS data. In addition, information about the state NFIP Coordinator and GIS Coordinator is shown in this table. At the request of FEMA, each Governor has designated an agency of State or territorial government to coordinate that State's or territory's NFIP activities. These agencies often assist communities in developing and adopting necessary floodplain management measures. State GIS Coordinators are knowledgeable about the availability and location of state and local GIS data in their state.

Table 32: Additional Information

FEMA and the NFIP	
FEMA and FEMA Engineering Library website	www.fema.gov/national-flood-insurance-program-flood-hazard-mapping/engineering-library
NFIP website	www.fema.gov/national-flood-insurance-program
NFHL Dataset	http://msc.fema.gov
FEMA Region IV	Federal Emergency Management Agency 3003 Chamblee Tucker Road Atlanta, GA 30341

Other Federal Agencies	
USGS website	http://www.usgs.gov
Hydraulic Engineering Center website	http://www.hec.usace.army.mil
State Agencies and Organizations	
State NFIP Coordinator	Tom Shillock, CFM Georgia Department of Natural Resources 2 Martin Luther King, Jr. Drive, SE Suite 1152 – East Tower Atlanta, GA 30334 404-656-4713 Tom.Shillock@dnr.state.ga.us
State GIS Coordinator	Lisa Westin Senior GIS Specialist Office of Mapping and Decision Support Systems Georgia Department of Community Affairs 60 Executive Park South, NE Atlanta, GA 30329 404-679-3135 lisa.westin@dca.ga.gov

SECTION 9.0 – BIBLIOGRAPHY AND REFERENCES


Table 33 includes sources used in the preparation of and cited in this FIS Report as well as additional studies that have been conducted in the study area.

Table 33: Bibliography and References

Citation in this FIS	Publisher/ Issuer	Publication Title, "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
FEMA 2008a	Federal Emergency Management Agency	<i>Flood Insurance Rate Map for Dawson County, Georgia and Incorporated Areas</i>	Federal Emergency Management Agency	Washington, D.C.	9/26/2008	msc.fema.gov
FEMA 2008b	Federal Emergency Management Agency	<i>Flood Insurance Study Report for Dawson County, Georgia and Incorporated Areas</i>	Federal Emergency Management Agency	Washington, D.C.	9/26/2008	msc.fema.gov
FEMA 2008c	Federal Emergency Management Agency	<i>FIRM Database for Dawson County, Georgia and Incorporated Areas</i>	Federal Emergency Management Agency	Washington, D.C.	9/26/2008	http://hazards.fema.gov
FEMA 2015a	Federal Emergency Management Agency	<i>Approximate Flood Study based on USGS Rural Regression Equations</i>	Federal Emergency Management Agency	Washington, D.C.	9/10/2015	https://hazards.fema.gov/fema-portal/wps/portal
FEMA 2015b	Federal Emergency Management Agency	<i>Approximate Flood Study based on Gage Analysis</i>	Federal Emergency Management Agency	Washington, D.C.	9/10/2015	https://hazards.fema.gov/fema-portal/wps/portal
FEMA 2015c	Federal Emergency Management Agency	<i>Approximate Flood Study based on USGS Urban-Small Rural Regression Equations</i>	Federal Emergency Management Agency	Washington, D.C.	9/10/2015	https://hazards.fema.gov/fema-portal/wps/portal

Citation in this FIS	Publisher/ Issuer	Publication Title, "Article," Volume, Number, etc.	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
NHD 2014	USDA/NRCS - National Geospatial Center of Excellence	<i>National Hydrography Dataset (NHD)</i>	U.S. Geological Survey in cooperation with the U.S. Environmental Protection Agency and other State and local partners	Reston, Virginia	11/4/2014	http://nhd.usgs.gov
TIGER 2014	U.S. Census Bureau	<i>TIGER/Line shapefiles</i>	U.S. Department of Commerce, U.S. Census Bureau, Geography Division	Washington, DC	8/1/2014	http://www.census.gov/geo/maps-data/data/tiger.html
USDA 2013	USDA - FSA Aerial Photography Field Office	<i>NAIP Aerial Base Map 2013</i>	USDA - FSA Aerial Photography Field Office	Salt Lake City, Utah	11/27/2013	http://datagateway.nrcs.usda.gov
USGS 2009	U.S. Geological Survey	Magnitude and Frequency of Rural Floods in the Southeastern United States, 2006: Volume I, Georgia, Scientific Investigations Report 2009-5043	U.S. Geological Survey	Reston, Virginia	2009	http://pubs.usgs.gov/sir/2009/5043/

Citation in this FIS	Publisher/ Issuer	<i>Publication Title, "Article," Volume, Number, etc.</i>	Author/Editor	Place of Publication	Publication Date/ Date of Issuance	Link
USGS 2011	U.S. Geological Survey	Magnitude and Frequency of Floods for Urban and Small Rural Streams in Georgia, 2008, Scientific Investigations Report 2011-5042	U.S. Geological Survey	Reston, Virginia	2011	http://pubs.usgs.gov/sir/2011/5042/
USGS 2014	U.S. Geological Survey	Methods for Estimating Magnitude and Frequency of Floods for Urban and Small Rural Streams in Georgia, South Carolina, and North Carolina, 2011 Scientific Investigations Report 2014-5030	U.S. Geological Survey	Reston, Virginia	2014	http://pubs.usgs.gov/sir/2014/5030/
USGS 2015	U.S. Geological Survey	<i>Base map surface water features from the USGS</i>	U.S. Geological Survey	Washington, D.C.	09/10/2015	usgs.gov




FLOOD PROFILES

BLACK MILL CREEK

FEDERAL EMERGENCY MANAGEMENT AGENCY


DAWSON COUNTY, GA

AND INCORPORATED AREAS



FLOOD PROFILES
BLACK MILL CREEK

FEDERAL EMERGENCY MANAGEMENT AGENCY
DAWSON COUNTY, GA
AND INCORPORATED AREAS




FLOOD PROFILES

BLACK MILL CREEK

FEDERAL EMERGENCY MANAGEMENT AGENCY


DAWSON COUNTY, GA

AND INCORPORATED AREAS




FLOOD PROFILES
BLACK MILL CREEK

FEDERAL EMERGENCY MANAGEMENT AGENCY
DAWSON COUNTY, GA
AND INCORPORATED AREAS



FLOOD PROFILES
ETOWAH RIVER


FEDERAL EMERGENCY MANAGEMENT AGENCY
DAWSON COUNTY, GA
AND INCORPORATED AREAS



FLOOD PROFILES
ETOWAH RIVER

FEDERAL EMERGENCY MANAGEMENT AGENCY
DAWSON COUNTY, GA
AND INCORPORATED AREAS

ELEVATION IN FEET (NAVD 88)




FLOOD PROFILES

ETOWAH RIVER

FEDERAL EMERGENCY MANAGEMENT AGENCY


DAWSON COUNTY, GA

AND INCORPORATED AREAS



FLOOD PROFILES
ETOWAH RIVER

FEDERAL EMERGENCY MANAGEMENT AGENCY
DAWSON COUNTY, GA
AND INCORPORATED AREAS



FLOOD PROFILES

MILL CREEK

FEDERAL EMERGENCY MANAGEMENT AGENCY

DAWSON COUNTY, GA
AND INCORPORATED AREAS